





CONTENTS

JUNO from A - Z

Brand	Page	04 - 05	Extractor hoods		
Design	Page	06 - 07	Facts worth knowing	Page	44 - 47
Product variety	Page	08 - 09	Flat extractor hoods	Page	48 - 49
Cookers & ovens			Wall extractor hoods	Page	50 - 51
Facts worth knowing	Page	10 - 17	Overview	Page	52 - 53
Cookers	Page	18 - 19	Dishwashers		
Ovens	Page	20 - 23	Facts worth knowing	Page	54 - 59
Overview	Page	24 - 25	Dishwashers	Page	60 - 62
Compact appliances			Overview	Page	63
Facts worth knowing	Page	26 - 29	Fridges		
Compact appliances	Page	30 - 31	Facts worth knowing	Page	64 - 67
Hobs			Fridges	Page	68 - 73
Facts worth knowing	Page	32 - 35	Overview	Page	74 - 75
Hobs	Page	36 - 37	Accessories	Page	76 - 77
Induction hobs	Page	38 - 41	Energy efficiency classes	Page	78
Overview	Page	42 - 43	Contact & customer service	Page	79

TIMELINE & INNOVATIONS

Competence in cooking with fossil energy, oil, gas and electricity.

- | | | | |
|-------------|--|-------------|---|
| 1826 | Foundation of the Burger steel mill | 1973 | 1st hot air cooker, domestic cookers, min. premiere in Germany |
| 1845 | 1st so-called „cooking oven“, world innovation | 1977 | Steam cooker, unpressurised, catering, min. premiere in Germany |
| 1889 | 1st coal-burning cooker, premiere in Germany | 1987 | Steam cooker, unpressurised, domestic cookers, min. premiere in Germany |
| 1899 | Registration of the brand name JUNO | 1990 | JUNO division acquired by Electrolux |
| 1927 | 1st gas cooker, premiere in Germany | 2015 | Marketed exclusively by Schüller Möbelwerk KG |
| 1931 | 1st electric cooker, premiere in Germany | | |
| 1957 | 1st hot air cooker, catering, min. premiere in Germany | | |

1



2



3



4



5



- 1 American continuously burning stove around 1899
- 2 Table-type cooker
- 3 Cooker
- 4 JUNO advertising poster dated 1928
- 5 Poster advertising the JUNO Convectomat

THE BRAND

What began in 1899 with an „American slow-burning stove“ today still stands for a unique story of success that is full of innovations.

JUNO looks back on over 100 years of cooking history

Named after the Roman goddess of matrimony and birth, the JUNO brand of so-called “American continuously burning stoves” first appeared in German homes over a hundred years ago. They heralded an era packed with ideas and innovations. Today, JUNO stands for maximum competence in cooking. Trends that have revolutionized the kitchen – from the hotbed of ideas in Herborn.

From puffing coal-fired stoves to modern high-tech cookers

Back in 1899, the American continuously burning stove was considered an innovation in the market and a pinnacle of technical achievement because it was easy to control, with outstanding heat output, and above all – because it continued to burn for 40 hours – an endless time back in those days. In addition to these stoves, cooking stoves from JUNO were widely known and to be found in millions of homes. Fuelled with wood and coal and often richly ornamented, these magnificent stoves were the centre-piece of the home. Family life focused mainly on the kitchen where JUNO cookers were used for cooking, roasting, baking and heating. Laundry was also often hung up to dry over them. Housework became very much easier when JUNO introduced the first gas cooker in 1927. Carrying coal and emptying the ashcan were a thing of the past, at least in those kitchens which were connected to the gas supply and able to afford it. The next premiere followed in 1932 when Germany’s first electric cooker – also made by JUNO – went online and heralded a new era in European kitchens.

Technology transfer for outstanding achievements

A further milestone in the brand’s development was set in 1957 when the first cookers for canteen kitchens came

off the production line in Herborn. Developed to meet top requirements in professional areas of use, the technology was gradually also incorporated into household cookers. In the end, it is the customer who benefits from innovative technology which has passed the acid test.


One of the most spectacular innovations – the JUNO Convectomat – appeared on the market in the 1970s. Its oven was the first to work with an intense distribution of hot air – the essential prerequisite for perfect preparation of large roasts or simultaneously roasting or baking foods on up to three baking sheets.

Organic steam cooking – healthy and tasty

“Organic steam cooking” was another revolution in cooking technology presented by JUNO. Cooking without pressure using steam is the gentlest and also the most economical way to prepare food. The flavours and the vitamins and minerals contained in the foods are extensively preserved. Vegetables, for instance – often merely treated as a side dish and obligatory “health food” – remains crisp and crunchy, and retains its own characteristic taste. The handling could not be simpler. Fill the water tank in the cooker with water and set the cooking time. The cooker then takes over: its Thermotronic technology ensures that the temperature in the cooking chamber remains constant at the set level. A built-in timer monitors the cooking time.

JUNO – a modern brand

When the division was taken over by the Electrolux Group in 1990, JUNO found a competent partner in its sector. All the competence of international product development is concentrated here. In 2015 the famous JUNO brand experienced a relaunch through its exclusive marketing by Schüller Möbelwerk KG.



1 Stainless steel cover
Stainless steel with antifinger coating lends a bright face to the oven.

2 Glass cover
The cover of the SELECTION range is decorated in elegant black glass.

3 Operating elements
Attached or retractable control knobs merge with the stainless steel cover into one unit.

4 Operation elements SELECTION
The SELECTION range – retractable control knobs or completely reduced with Touch Control.

5 Handle
Narrow and slim in stainless steel and also with antifinger coating.

6 All-glass door
The all-glass door impresses with simple elegance and a harmonious overall picture.

DESIGN

Attractive packaging with outstanding content.

Modern kitchen – attractive appliances

Many factors play a part in your new kitchen: ergonomic design, easy care, optimized work flows, price and most importantly – the choice of appliances. This results in innumerable practical details, technical innovations and consequently a large number of decisions to be made.

Technical sophistication aside, the design of the appliances is no less important. It must radiate modernity and appear timeless and be easily integrated into the planned kitchen.

Design JUNO & design JUNO SELECTION

To make your decision a little easier, both ranges include technical features and energy savings at the highest level. They differ with regard to design features, supplementary technical functions and therefore as regards their price. Clear and detailed information on the various features have been compiled on the following product pages.

THE RANGES

Two JUNO ranges – for every taste.

Design JUNO

Timeless forms and optimum value for money!

The design language: High-quality full-glass door for ovens and hobs combined with a modern stainless steel panel.


The technology: everything that is needed! Energy-aware and convenient!

Design JUNO SELECTION

Elegant and technical – for the highest demands.

The design language: oven with elegant glass panel. Chic control panel for the extractor hoods. With a high proportion of glass and black, we follow the current trend in the field of appliances.

The technology: everything you ever dreamed of, technically perfect!



1 Vented air & circulating air
Effective and quiet – that is what you expect of a perfect extractor hood!

2 Cleaning
No need to fear piles of plates, pots and pans: dishwashers from JUNO will help you clear up!

3 Cooking
Hob²Hood, roaster zone, power function, automatic bring-to-the-boil function, triple-coking zone: dream functions!

4 Baking & steaming
Elegant appliances equipped with different features for a completely new way of cooking!

5 Cooling & freezing
The supermarket in your own kitchen: with the latest technology to keep everything fresh and crisp!

PRODUCT VARIETY

Preparation, cooking and clearing up – everything from a single source.

The kitchen as the centre of life

The importance of kitchens has changed radically in the course of time. From the small chamber in which housewives stood and did the cooking all alone, the kitchen has evolved to become the centre of life. In new buildings, the kitchen has now moved further to the front of the layout and become more spacious than in the 1980s and 1990s. It is now a centre of communication and a meeting place for family and friends.

Cooking has also acquired a different significance. It has become an event and many amateur cooks have developed their cuisine to almost professional levels. TV programmes on cooking and baking can be watched every day of the week and star cooks enjoy cult status among the general public. A healthy diet is increasingly becoming a focal topic.

Better cooking with JUNO

With JUNO you can now equip your kitchen exactly in line with your personal preferences and needs! How often you

cook and for how many people is naturally just as important as the complexity of your menus.

JUNO offers suitable appliances for all requirements. From the functional price-conscious version JUNO to perfect design and technology from JUNO SELECTION. The product range encompasses 65 appliances with everything your kitchen needs, from preparing and cooking food to clearing up afterwards.

A matter of the heart

When you take a closer look at the JUNO appliances, you will see that they feature new technical developments that are certain to excite you. Such as NoFrost in the cooling units, induction technology for the hob, the flexibility of the new dishwashers, the combi-steam cookers or the Hob²Hood. Choose appliances with the functions you always wanted to have and that suit your style of life – JUNO supplies all the appliances from a single source.



1 LC display
Everything at a glance.

3 Antifinger stainless steel coating
No unsightly fingerprints.

5 CoolDoor
Hot inside, cool outside.

2 Touch Control
Innovative, chic design.

4 Full-glass door for the JUNO SELECTION
The smooth exterior and interior door is easy to clean.

6 Miracle of space
72 litre oven capacity, 5 levels and XL window into the interior.

JUNO COOKERS & OVENS

Cookers and ovens from JUNO – fulfil a whole variety of wishes when cooking.

The oven as the heart of the kitchen

Kitchens as such evoke innumerable childhood memories, but cookers and ovens are undoubtedly associated with many positive feelings. The tension that eases when the cake has finally risen or the chips that come out of the oven at midday, a shining gold colour, not to mention the delicious smell.

The dream of cooking

If our mothers had known of the functions available today, they would surely have started dreaming! Particularly where the functions are concerned, the JUNO appliances include several that make everyday life very much easier. Pyrolysis is the magic word when it comes to cleaning the oven and the Antifinger stainless steel coating does exactly what its name implies: it makes for a perfect appearance!

When it comes to preparing foods, JUNO offers functions meeting the highest standards today. The bowl of water at the bottom of the oven has been replaced by the convenience of steam assistance. Producing a juicy piece of meat with a crisp crust is now child's play. Hot air with circular heater creates completely new possibilities when planning a menu, for the heat is uniformly distributed throughout the oven so that different dishes can cook simultaneously on up to three levels.

An oven for every chef

The functions chosen for your new cooker or oven should depend on your demands when cooking. Are you a real gourmet and constantly surrounded by guests? Or the uncomplicated type of chef who needs to be successful without wasting time? Whatever your wishes may be – you can be sure of cooking better with appliances from JUNO!

JUNO COOKERS & OVENS

Cookers and ovens from JUNO – fulfil a whole variety of wishes when cooking.

Design: JUNO



Stainless steel panel with top-mounted control knobs



Quick and simple operation with top-mounted control knobs.

Stainless steel panel with retractable control knobs



Quick and simple operation as well as cleaning with retractable control knobs.

Design: JUNO SELECTION



Glass panel with retractable control knobs



Quick and simple operation as well as cleaning with retractable control knobs which, in combination with the glass panel, additionally provide a special design solution.

Glass panel with Touch Control



Touch Control permits innovative operation, as well as quick and extremely easy cleaning. In combination with the one-piece glass panel it additionally creates a special design solution.



Antifinger stainless steel coating

The antifinger stainless steel coating gives your kitchen an extra shine. Fingerprints on the stainless steel are a thing of the past now.



Energy efficiency class A and A+

All JUNO cookers and ovens comply with Energy efficiency class A and A+.



Electronic clock

In addition to showing the time of day, the electronic clock also includes such useful functions as a kitchen timer, setting the operating time and, for selected appliances, switching the oven on / off automatically.



LC display

The LC display shows all the main functions at a glance, such as the activated type of heating, selected automatic programme, heating status, momentary oven temperature, residual heat and lots more. When switched off, it simultaneously acts as electronic clock and can also be used as kitchen timer.



Soft Closing

The door closes automatically from a certain angle, and completes the closing process gently and quietly over the last centimetres.



Full-glass interior door

The oven door with several all-glass panels has a smooth interior surface that is not only easy to clean, but is also designed so that it can be removed without tools and cleaned without effort when extensively soiled.



Cooling fan with automatic overrun

The cooling fan ensures that the hot air is cooled before it leaves the oven and automatically continues to run for approx. 5 to 7 minutes after switching off the oven. In this way, the oven interior and hence also the front cools more quickly.

Standard


CoolDoor

The oven door with several glass panels and reflective coating ensures that the heat stays in the oven and the window remains relatively cool on the outside. Up to 15 °C above room temperature on selected appliances.



Hot air

"Hot air" as a type of heating uses a circular heater and ensures that the heat is uniformly distributed in the cooking chamber. As a result, cooking can proceed on up to 3 levels at once, thus saving both energy and money.



Hot air plus

Unique combination of classical hot air with addition of moisture. "Hot air plus" not only improves the taste, but also ensures an appetizingly browned crust.



Moist recirculating air

Unique combination of fan and top / bottom heat with gentle oven cavity venting. Particularly for baking and cooking dry bakery goods and soufflés.



Moist top / bottom heat

For baking and roasting on one level with gentle oven cavity venting.



JUNO COOKERS & OVENS

Cookers and ovens from JUNO – fulfil a whole variety of wishes when cooking.

Bread baking setting

This makes bakery products crispy on the outside and deliciously fluffy inside.



Regenerating

For gently heating up food with steam.



Pyrolyse

Pyrolytic self-cleaning is the most convenient way to clean the oven. At high temperature, residues disintegrate to ashes which can easily be removed by wiping the cooking chamber.



Smooth oven interior

Smooth oven walls remain when the telescoping pull-outs (and side racks) have been removed. This special design feature makes cleaning exceedingly easy.

Retrofitable telescoping pull-outs

The optional telescoping pull-outs from JUNO allow food to be placed in the oven and removed more conveniently. Full-extension pull-outs offer additional safety, as baking sheets and racks can be pulled out of the oven chamber completely.



Oven interior standard

The cooking chamber with a capacity of at least 57 litres is large enough to prepare different foods on 4 levels.




















XL oven interior

Ovens of the SELECTION series have an extra-large 72 litre oven chamber providing 25% more area on the baking sheet. Even oversize pieces can be cooked here without difficulty. A further advantage is that simultaneously cooking large quantities (e.g. cookies) saves energy as well as precious time.


















HEATING TYPES

Overview of pictograms

Steam (100 % steam)		Grill stage 1		Pizza stage	
Moist cooking low (25 % steam, 75 % hot air)		Grill stage 2		Bread baking setting	
Moist cooking high (50 % steam, 50 % hot air)		Recirculated Air		Organic cooking	
Top / bottom heat		Moist recirculating air		Eco roasting	
Moist top / bottom heat		Hot air		Warming	
Separate bottom heat		Moist hot air		Defrost	
Recirculated air grill		Hot air plus		Regenerating	
Hot air grill		Frozen food			

FUNCTIONS | FEATURES

Overview of pictograms

Touch Control		LC display		Soft Closing	
Antifinger stainless steel coating		CoolDoor, max. 40 °C above room temperature		Moisture allowance	
Energy efficiency class A		CoolDoor, max. 30 °C above room temperature		XL oven	
Energy efficiency class A+		CoolDoor, max. 20 °C above room temperature		Pyrolyse	
Electronic clock		CoolDoor, max. 15 °C above room temperature		Core temperature sensor	



1 LC display
Everything at a glance.

2 Touch Control
Innovative, chic design.

3 Water tank
Filler for steamer with external steam generator.

4 Core temperature sensor
Ensures a perfect cooking result.

JUNO MULTI-STEAM COOKER

Combination steam oven from JUNO – for more taste and gentle preparation.

A technology that will delight you

Discover all the attractive aspects of cooking in one appliance – and the fun associated with unusual ideas and recipes. The combination steam cooker combines steam and heat in perfect harmony. The combination of these two forces creates many new possibilities: roasts and baked goods, bake soufflés all come out with a crisp exterior and extremely juicy inside. This all-rounder also features many other functions that you won't want to miss.

Simple and healthy: cooking with steam

People have used steam to cook food for thousands of years. A tradition worth reviving with state-of-the-art technology: no other methods cooks the various ingredients so gently and preserves their original nature so reliably. Enjoy vegetables, for instance, with up to 50% more vitamins and up to 80% more minerals, not to mention 100% taste!

Steam (100% steam)

Vegetables, side dishes such as rice and dumplings, fish and fruit are gently cooked without pressure. Delicate foods also retain their consistency, colour and above all their taste. Vegetables cooked with steam contain up to 50% more vitamins than those cooked conventionally and the minerals are preserved almost entirely.



Moist cooking low

(25% steam, 75% hot air)

The ideal function for everything requiring a crispy brown exterior while remaining juicy and tender inside: meat and roasts, gratins, bread and rolls cannot dry out – and you do not have to keep watch over them. The secret lies in the perfect combination of steam and hot air – always in exactly the right proportions.



Moist cooking high

(50% steam, 50% hot air)

The function for fine and particularly sensitive food. For tender soufflés, juicy bakes, exquisite terrines or puddings – and more variety. The foods retain even more moisture and bakes in particular come out light and fluffy. That way, everyone can cook like a starred chef.



Core temperature sensor

You want to know when your food has reached the correct core temperature? With the core temperature sensor, you can see directly into the interior. Regardless of whether you want the meat to be "rare", "medium" or "well done", the sensor will tell you when the cooking process is complete. Control could not be easier.





JUNO JH040A2

Built-in cooker

4 heating types

- Top / bottom heat
- Moist top / bottom heat
- Separate bottom heat
- Grill stage 1

Features

- Oven with hook-in wire rack
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Top-mounted control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
· Conventional	0.80 kWh
· Recirculated air / Hot air	–
Oven capacity	70 litres
Temperature range	50 - 250 °C
Energy efficiency class ¹⁾	A



JUNO JH070A2

Built-in cooker

7 heating types

- Top / bottom heat
- Separate bottom heat
- Recirculated air grill
- Grill stage 1
- Recirculated air
- Moist recirculating air
- Defrost

Features

- Oven with hook-in wire rack
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Top-mounted control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
· Conventional	0.90 kWh
· Recirculated air / Hot air	0.78 kWh
Oven capacity	65 litres
Temperature range	50 - 250 °C
Energy efficiency class ¹⁾	A



JUNO JH070B2

Built-in cooker

7 heating types

- Top / bottom heat
- Separate bottom heat
- Recirculated air grill
- Grill stage 1
- Recirculated air
- Moist recirculating air
- Defrost

Features

- Oven with hook-in wire rack
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Retractable control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
· Conventional	0.90 kWh
· Recirculated air / Hot air	0.78 kWh
Oven capacity	65 litres
Temperature range	50 - 250 °C
Energy efficiency class ¹⁾	A



JUNO JH071B2

Built-in cooker

7 heating types

- Top / bottom heat
- Separate bottom heat
- Recirculated air grill
- Grill stage 1
- Recirculated air
- Moist recirculating air
- Defrost

Features

- Oven with hook-in wire rack
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Retractable control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Electronic clock
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.83 kWh
• Recirculated air / Hot air	0.75 kWh
Oven capacity	65 litres
Temperature range	50 - 250 °C
Energy efficiency class ¹⁾	A



JUNO SELECTION JH084C1

Built-in cooker

8 heating types

- Top / bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 2
- Hot air
- Moist hot air
- Hot air plus
- Pizza stage

Features

- XL oven
- Oven with hook-in wire rack
- Retrofittable telescoping pull-outs
- Moisture allowance
- Cooling fan with automatic overrun
- Full-glass interior door
- CoolDoor, max. 40 °C above room temperature
- Soft Closing
- Retractable control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Electronic clock
- Safety switch off

Accessories

- 1 universal baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.93 kWh
• Recirculated air / Hot air	0.81 kWh
Oven capacity	72 litres
Temperature range	50 - 275 °C
Energy efficiency class ¹⁾	A

1) Energy efficiency class (scale) A+++ to D



JUNO JB040A2

Built-in oven

4 heating types

- Top / bottom heat
- Moist top / bottom heat
- Separate bottom heat
- Grill stage 1

Features

- Oven with hook-in wire rack
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Top-mounted control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
· Conventional	0.80 kWh
· Recirculated air / Hot air	–
Oven capacity	70 litres
Temperature range	50 - 250 °C
Energy efficiency class ¹⁾	A



JUNO JB070A2

Built-in oven

7 heating types

- Top / bottom heat
- Separate bottom heat
- Recirculated air grill
- Grill stage 1
- Recirculated air
- Moist recirculating air
- Defrost

Features

- Oven with hook-in wire rack
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Top-mounted control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
· Conventional	0.90 kWh
· Recirculated air / Hot air	0.78 kWh
Oven capacity	65 litres
Temperature range	50 - 250 °C
Energy efficiency class ¹⁾	A



JUNO JB070B2

Built-in oven

7 heating types

- Top / bottom heat
- Separate bottom heat
- Recirculated air grill
- Grill stage 1
- Recirculated air
- Moist recirculating air
- Defrost

Features

- Oven with hook-in wire rack
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Retractable control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
· Conventional	0.90 kWh
· Recirculated air / Hot air	0.78 kWh
Oven capacity	65 litres
Temperature range	50 - 250 °C
Energy efficiency class ¹⁾	A



JUNO JB071B2

Built-in oven

7 heating types

- Top / bottom heat
- Separate bottom heat
- Recirculated air grill
- Grill stage 1
- Recirculated air
- Moist recirculating air
- Defrost

Features

- Oven with hook-in wire rack
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Retractable control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Electronic clock
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.90 kWh
• Recirculated air / Hot air	0.78 kWh
Oven capacity	65 litres
Temperature range	50 - 250 °C
Energy efficiency class ¹⁾	A



JUNO JB096B3

Built-in oven with pyrolysis

9 heating types

- Top / bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 1
- Hot air
- Moist hot air
- Frozen food
- Pizza stage
- Defrost

Features

- Oven with hook-in wire rack
- Retrofittable telescoping pull-outs
- Pyrolytic self-cleaning, 3-stage
- Cooling fan with automatic overrun
- Full-glass interior door
- CoolDoor, max. 15 °C above room temperature, max. 30 °C during pyrolyse
- Touch Control operation
- Retractable control knobs
- Antifinger stainless steel coating
- Residual heat indicator
- Electronic clock
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Child lock
- Safety switch off
- Door lock with pyrolysis operation

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.93 kWh
• Recirculated air / Hot air	0.69 kWh
Oven capacity	65 litres
Temperature range	50 - 250 °C
Energy efficiency class ¹⁾	A+



JUNO SELECTION JB084C1

Built-in oven

8 heating types

- Top / bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 2
- Hot air
- Moist hot air
- Hot air plus
- Pizza stage

Features

- XL oven
- Oven with hook-in wire rack
- Retrofittable telescoping pull-outs
- Moisture allowance
- Cooling fan with automatic overrun
- Full-glass interior door
- Soft Closing
- Core temperature sensor
- Retractable control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Electronic clock
- Safety switch off

Accessories

- 1 universal baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.93 kWh
• Recirculated air / Hot air	0.81 kWh
Oven capacity	72 litres
Temperature range	50 - 275 °C
Energy efficiency class ¹⁾	A



JUNO SELECTION JB121D0

Built-in oven

12 heating types

- Top / bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 2
- Hot air
- Moist hot air
- Frozen food
- Pizza stage
- Organic cooking
- Eco roasting
- Warming
- Defrost

Features

- XL oven
- Oven with hook-in wire rack
- Retrofitable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- CoolDoor, max. 30°C above room temperature
- Soft Closing
- Touch Control operation
- Antifinger stainless steel coating
- Electronic clock / LC display
- 9 automatic programmes
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Quick heating
- Child lock
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 grease pan, enamelled
- 1 wire rack

Technical data

Energy consumption	
· Conventional	0.93 kWh
· Recirculated air / Hot air	0.69 kWh
Oven capacity	72 litres
Temperature range	30 - 300°C
Energy efficiency class ¹⁾	A+



JUNO SELECTION JB126D2

Built-in oven with pyrolyse

12 heating types

- Top / bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 2
- Hot air
- Moist hot air
- Frozen food
- Pizza stage
- Organic cooking
- Eco roasting
- Warming
- Defrost

Features

- XL oven
- Oven with hook-in wire rack
- Retrofitable telescoping pull-outs
- Pyrolytic self-cleaning, 3-stage
- Cooling fan with automatic overrun
- Full-glass interior door
- CoolDoor, max. 20°C above room temperature, max. 40°C during pyrolyse
- Soft Closing
- Touch Control operation
- Antifinger stainless steel coating
- Electronic clock / LC display
- 9 automatic programmes
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Quick heating
- Child lock
- Safety switch off
- Door lock with pyrolysis operation

Accessories

- 1 baking sheet, enamelled
- 1 grease pan, enamelled
- 1 wire rack

Technical data

Energy consumption	
· Conventional	0.93 kWh
· Recirculated air / Hot air	0.69 kWh
Oven capacity	72 litres
Temperature range	30 - 300°C
Energy efficiency class ¹⁾	A+



JUNO SELECTION JB126S2

Built-in oven with pyrolyse

12 heating types

- Top / bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 2
- Hot air
- Moist hot air
- Frozen food
- Pizza stage
- Organic cooking
- Eco roasting
- Warming
- Defrost

Features

- XL oven
- Oven with hook-in wire rack
- Retrofitable telescoping pull-outs
- Pyrolytic self-cleaning, 3-stage
- Cooling fan with automatic overrun
- Full-glass interior door
- CoolDoor, max. 20°C above room temperature, max. 40°C during pyrolyse
- Soft Closing
- Touch Control operation
- Metal handle, black
- Electronic clock / LC display
- 9 automatic programmes
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Quick heating
- Child lock
- Safety switch off
- Door lock with pyrolysis operation

Accessories

- 1 baking sheet, enamelled
- 1 grease pan, enamelled
- 1 wire rack

Technical data

Energy consumption	
· Conventional	0.93 kWh
· Recirculated air / Hot air	0.69 kWh
Oven capacity	72 litres
Temperature range	30 - 300°C
Energy efficiency class ¹⁾	A+



JUNO SELECTION JBD167D2

Combination steam oven

16 heating types

- Steam 50 - 96 °C
- Moist cooking low 50 °C - 230 °C
- Moist cooking high 50 °C - 130 °C
- Top / bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 1
- Hot air
- Moist hot air
- Frozen food
- Pizza stage
- Bread baking setting
- Organic cooking
- Warming
- Defrost
- Regenerating

Features

- XL oven
- Oven with hook-in wire rack
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- CoolDoor, max. 30 °C above room temperature
- Soft Closing
- Core temperature sensor
- Touch Control operation
- Antifinger stainless steel coating
- Electronic clock / LC display
- 25 automatic programmes
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Quick heating
- Child lock
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 grease pan, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	1.09 kWh
• Recirculated air / Hot air	0.68 kWh
Oven capacity	70 litres
Temperature range	30 - 230 °C
Energy efficiency class ¹⁾	A+

1) Energy efficiency class (scale) A+++ to D

JUNO COOKERS & OVENS

All models at a glance

	JUNO JH 040A2	JUNO JH070A2	JUNO JH070B2	JUNO JH071B2	JUNO SELECTION JH084C1	JUNO JB040A2	JUNO JB070A2	JUNO JB070B2	JUNO JB071B2
Heating types									
Top / bottom heat	•	•	•	•	•	•	•	•	•
Moist top / bottom heat	•					•			
Separate bottom heat	•	•	•	•	•	•	•	•	•
Recirculated air grill		•	•	•		•	•	•	•
Hot air grill					•				
Grill stage 1 / grill stage 2	•/-	•/-	•/-	•/-	-/•	•/-	•/-	•/-	•/-
Recirculated air / moist recirculating air		•/•	•/•	•/•		•/•	•/•	•/•	•/•
Hot air / moist hot air					•/•				
Hot air plus					•				
Frozen food									
Pizza stage					•				
Bread baking setting									
Organic cooking / eco roasting									
Warming									
Defrost		•	•	•		•	•	•	•
Steam, moist cooking low, moist cooking high									
Regenerating									
Features									
XL oven					•				
Oven with hook-in wire rack (retrofitable telescoping pull-outs)	•	•	•	•	•	•	•	•	•
Moisture allowance					•				
Pyrolytic self-cleaning									
Cooling fan with automatic overrun	•	•	•	•	•	•	•	•	•
Full-glass interior door	•	•	•	•	•	•	•	•	•
CoolDoor, max. °C above room temperature	55	55	55	55	40	55	55	55	55
Soft Closing					•				
Core temperature sensor									
Stainless steel handle / metal handle, black	•/-	•/-	•/-	•/-	•/-	•/-	•/-	•/-	•/-
Retractable / top-mounted control knobs	-/•	-/•	•/-	•/-	•/-	-/•	-/•	•/-	•/-
Touch Control operation									
Antifinger stainless steel coating	•	•	•	•	•	•	•	•	•
Residual heat indicator									
Indicator lights	2	2	2	2	2	2	2	2	2
Electronic clock / LC display				•/-	•/-				•/-
Automatic programmes									
Temperature suggestion / electronic temperature control									
Actual temperature indicator									
Quick heating / child lock / safety switch off	-/-/•	-/-/•	-/-/•	-/-/•	-/-/•	-/-/•	-/-/•	-/-/•	-/-/•
Door lock with pyrolysis operation									
Accessories									
1 baking sheet, enamelled	•	•	•	•		•	•	•	•
1 universal baking sheet, enamelled					•				
1 grease pan, enamelled									
1 wire rack	•	•	•	•	•	•	•	•	•
Technical data									
Energy consumption in kWh									
· Conventional	0.80	0.90	0.90	0.83	0.93	0.80	0.90	0.90	0.90
· Recirculated air / hot air	–	0.78	0.78	0.75	0.81	–	0.78	0.78	0.78
Oven capacity in litres	70	65	65	65	72	70	65	65	65
Temperature range in °C	50 - 250	50 - 250	50 - 250	50 - 250	50 - 275	50 - 250	50 - 250	50 - 250	50 - 250
Energy efficiency class ¹⁾	A	A	A	A	A	A	A	A	A

	JUNO JB096B3	JUNO SELECTION JB084C1	JUNO SELECTION JB121D0	JUNO SELECTION JB126D2	JUNO SELECTION JB126S2	JUNO SELECTION JB167D2
Heating types						
Top / bottom heat	•	•	•	•	•	•
Moist top / bottom heat						
Separate bottom heat	•	•	•	•	•	•
Recirculated air grill						
Hot air grill	•	•	•	•	•	•
Grill stage 1 / grill stage 2	• / -	- / •	- / •	- / •	- / •	• / -
Recirculated air / moist recirculating air						
Hot air / moist hot air	• / •	• / •	• / •	• / •	• / •	• / •
Hot air plus		•				
Frozen food	•		•	•	•	•
Pizza stage	•	•	•	•	•	•
Bread baking setting						•
Organic cooking / eco roasting			• / •	• / •	• / •	• / -
Warming			•	•	•	•
Defrost	•		•	•	•	•
Steam, moist cooking low, moist cooking high						•
Regenerating						•
Features						
XL oven		•	•	•	•	•
Oven with hook-in wire rack (retrofitable telescoping pull-outs)	•	•	•	•	•	•
Moisture allowance		•				
Pyrolytic self-cleaning	•			•	•	
Cooling fan with automatic overrun	•	•	•	•	•	•
Full-glass interior door	•	•	•	•	•	•
CoolDoor, max. °C above room temperature	15	55	30	20	20	30
Soft Closing		•	•	•	•	•
Core temperature sensor		•				•
Stainless steel handle / metal handle, black	• / -	• / -	• / -	• / -	- / •	• / -
Retractable / top-mounted control knobs	• / -	• / -				
Touch Control operation	•		•	•	•	•
Antifinger stainless steel coating	•	•	•	•	•	•
Residual heat indicator	•					
Indicator lights		2				
Electronic clock / LC display	• / -	• / -	• / •	• / •	• / •	• / •
Automatic programmes			9	9	9	25
Temperature suggestion / electronic temperature control	• / •		• / •	• / •	• / •	• / •
Actual temperature indicator	•		•	•	•	•
Quick heating / child lock / safety switch off	- / • / •	- / - / •	• / • / •	• / • / •	• / • / •	• / • / •
Door lock with pyrolysis operation	•			•	•	
Accessories						
1 baking sheet, enamelled	•		•	•	•	•
1 universal baking sheet, enamelled		•				
1 grease pan, enamelled			•	•	•	•
1 wire rack	•	•	•	•	•	•
Technical data						
Energy consumption in kWh						
• Conventional	0,93	0,93	0,93	0,93	0,93	1,09
• Recirculated air / hot air	0,69	0,81	0,69	0,69	0,69	0,68
Oven capacity in litres	65	72	72	72	72	70
Temperature range in °C	50 - 250	50 - 275	30 - 300	30 - 300	30 - 300	30 - 230
Energy efficiency class ¹⁾	A+	A	A+	A+	A+	A+

1) Energy efficiency class (scale) A+++ to D



- 1 Design compact appliances**
With a continuous panel height of 45 and 60 cm, design compact appliances have the same panel height as 60 cm high built-in ovens of JUNO SELECTION. In combination with a warming drawer, both appliance variants can be optimally combined with each other.

JUNO COMPACT APPLIANCES

Compact appliances from JUNO – for discerning demands in respect of form and function.

The name says it all

Smaller format with more power – that's compact!

Slim line

Compact appliances are ideal for all who not only enjoy preparing complex menus, but also have a predilection for perfect design. The black all-glass door and the modest touch-sensitive operation are elegantly unobtrusive. Arranged at an ergonomic working height, different appliances can be aesthetically planned along a single line. The combination of oven and compact oven with microwave is very practical for cooks who frequently have to cater for several people. The reduced size of the appliances yields more storage space in the cabinets. That means lots of space for the inherited coffee set, the collection of pots and pans or storage containers.

Energy-saving baking

Does it always have to be a big oven? With compact appliances, food can be prepared just as well as in the big brother. However, since the interior is smaller, the appliance takes less time to heat up. Apart from the time factor, this is good for the wallet and the environment. In combi mode – oven and microwave – the dishes turn out even faster.

Compact appliances are also ideal when it comes to the space they require. Especially in urban living spaces, there is often only a small kitchen available. Perfect if you have the storage space thus gained available for other things.

JUNO COMPACT APPLIANCES

Compact appliances from JUNO – for discerning demands in respect of form and function.

Glass panel with Touch Control

Innovative operation as well as quick and simple cleaning thanks to touch-sensitive operation which, in combination with the continuous glass panel, additionally provides a special design solution.



LC display

The LC display shows all the main functions at a glance, such as the activated type of heating, selected automatic programme, heating status, momentary oven temperature, residual heat and lots more. When switched off, it simultaneously acts as electronic clock and can also be used as kitchen timer.



Antifinger stainless steel coating

The Antifinger stainless steel coating gives your kitchen an extra shine. Fingerprints on the compact ovens are a thing of the past now.



CoolDoor, 30°C above room temperature

The oven door with several glass panels and reflective coating ensures that the heat stays in the oven and the door remains relatively cool on the outside.



Cooling fan with automatic overrun

The cooling fan ensures that the hot air is cooled before it leaves the oven and continues to run for approx. 5 to 7 minutes after switching off the oven.

Full-glass interior door

The oven door with several all-glass panels has a smooth interior surface that is easy to clean and designed to be removed without tools for effortless cleaning when more extensively soiled.



Hot air

"Hot air" as a type of heating uses a circular heater and ensures that the heat is uniformly distributed in the cooking chamber. As a result, cooking can proceed on up to 2 levels at once, thus saving energy, time and money.



Compact oven with microwave

The compact oven with microwave from JUNO provides several possibilities, such as cooking with classic oven functions or with microwaves. In fact, the two types can even be used in combination, which significantly reduces the cooking time for some foods.



HEATING TYPES

Overview of pictograms

Top / bottom heat		Hot air		Warming	
Separate bottom heat		Frozen food		Defrost	
Hot air grill		Pizza stage		Microwave	
Grill stage 1		Organic cooking			
Grill stage 2		Eco roasting			

Compact appliances |
Microwaves

FEATURES | FUNCTIONS

Overview of pictograms

CoolDoor, 30 °C above room temperature		Antifinger stainless steel coating		LC display	
Touch Control		Electronic clock			



JUNO SELECTION JBKM131D2

Compact microwave oven

Heating types

- Top / bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 1
- Grill stage 2
- Hot air
- Frozen food
- Pizza stage
- Organic cooking
- Eco roasting
- Warming
- Defrost
- Microwave (microwave and oven combination)

Features

- Oven with hook-in wire rack
- Cooling fan with automatic overrun
- Easy-clean door
- CoolDoor, max. 30°C above room temperature
- Touch Control operation
- Antifinger stainless steel coating
- Residual heat indicator
- Electronic clock / LC display
- 9 automatic programmes
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Quick heating
- Child lock

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Power rating	
· Microwave	1000 W
· Grill	1900 W
Oven capacity	43 litres
Temperature range	30 - 230°C



JUNO SELECTION JBKM131S2

Compact microwave oven

Heating types

- Top / bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 1
- Grill stage 2
- Hot air
- Frozen food
- Pizza stage
- Organic cooking
- Eco roasting
- Warming
- Defrost
- Microwave (microwave and oven combination)

Features

- Oven with hook-in wire rack
- Cooling fan with automatic overrun
- Easy-clean door
- CoolDoor, max. 30°C above room temperature
- Touch Control operation
- Antifinger stainless steel coating
- Residual heat indicator
- Electronic clock / LC display
- 9 automatic programmes
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Quick heating
- Child lock

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Power rating	
· Microwave	1000 W
· Grill	1900 W
Oven capacity	43 litres
Temperature range	30 - 230°C



JUNO SELECTION KDE911424B

Compact warming drawer

Heating types


- Defrost 30°C
- Setting for letting dough rise: 40°C
- Setting for warming plates: 60°C
- Setting for keeping food warm: 80°C

Features

- 1 indicator light
- SoftTip door mechanism
- For installation under a 45 cm compact appliance
- 25 kg max. load

Accessories

- 1 anti-slip mat



JUNO JM60170111

Microwave

Heating types

- 5 power stages
(80, 240, 400, 560, 800 Watt)

Features

- 27.2 cm glass turntable
- Door with window, hinged on left
- Touch Control operation
- LED function indicator
- Electronic clock
- QUICK Start
- 13 automatic programmes
- Child lock
- Acoustic cooking end signal

Technical data

- Power rating 800 W
- Microwave
- Oven capacity 17 litres



JUNO JM60200211

Microwave

Heating types

- 5 power stages
(80, 240, 400, 640, 800 Watt)
- Grill stage 1

Features

- 25.5 cm glass turntable
- Door with window, hinged on left
- Touch Control operation with top-mounted rotary knob
- LED function indicator
- Electronic clock
- 8 automatic programmes
- Acoustic cooking end signal

Accessories

- 1 wire rack

Technical data

- Power rating 800 W
- Microwave
- Oven capacity 20 litres



1 Bridge function
Turn two into one!

3 Touch Slider Control
The quick selection for every cooking area.

5 Hob²Hood function
Effective air purification completely automatically.

2 Frame stainless steel
Protection and design in one.

4 Induction
The most efficient and safest cooking technology.

JUNO HOBS

Hobs from JUNO – for quick and energy-saving cooking.

Normal hob or induction?

The first question to be answered when choosing a hob is: induction, yes or no? A short analysis of cooking habits is all you need to make the right decision. Do you cook quite often and frequently also for several people? In that case, you will quickly notice the energy saved with induction, for the energy is delivered very quickly and only over exactly the area occupied by the pot or pan. This also prevents any foods which have boiled over from burning on the hob. Additional functions, such as the Bridge function, the Power function which brings liquids to the boil within minutes, and the pause function, are useful features which are frequently used when cooking every day. No matter which hob you choose, with JUNO you will always choose a hob with high energy efficiency and state-of-the-art technology.

Functions for professional home cooking

Hobs from JUNO have useful features that pay off in everyday use. Safety is assured by the child safety lock, the automatic safety cut-out and the keylock. The automatic electronic bring-to-the-boil function is sure to become one of your favourites, just like the handy roaster zone.

The independent hobs can be controlled via touch-sensitive controls on the panel; some SELECTION appliances even feature the elegant Touch Slider Control.

JUNO HOBS

Hobs from JUNO – for quick and energy-saving cooking.

Frame stainless steel

Perfect functional design The stainless steel frame prevents the edge of the glass panel being damaged.

Standard

Pot detection

Hobs with pot detection are intelligent – an acoustic signal will instantly warn you should you ever use an unduly small pot or one that is unsuitable for induction cooking.

Standard*

Dual / triple cooking zone

Variable cooking area for two or three pots of different sizes.



Roaster zone

The dimensions of this cooking and roasting zone are unique: 17 / 17 x 26.5 cm. It makes you more flexible and allows you to make optimum use of the roasting pans which, although widespread, are too small for normal roasting zones.



Bridge function

The clever Bridge function allows two cooking zones to be combined into one larger zone – an ideal solution for large roasters or pots and pans with a special shape measuring up to 22 x 44 cm.



Hob²Hood function

Hobs with Hob²Hood function automatically activate the appropriate hood. As soon as you start cooking, the hood's infrared sensors activate the necessary power level for whatever is being cooked. This leaves your hands free for preparing food, keeps your hood clean and means your kitchen never smells of unpleasant cooking odours.



Touch Control / Touch slider Control Operation

Easy to use, easy to read, easy to clean. Each cooking zone can be controlled separately.



Automatic electronic bring-to-the-boil function

When setting a cooking zone with automatic bring-to-the-boil function, the cooking zone switches to full power for a certain time and then automatically reduces the power to the preset level. This saves time and prevents your foods from being overheated.



Automatic safety switch off

If one of the cooking zones is not switched off after a certain time or the cooking level is not changed, the cooking zone concerned will switch off automatically. The time elapsing before the cooking zone switches off depends on the set cooking level – the higher the power, the sooner it is switched off.

Standard**

Child lock

The child lock can be activated when the hob is switched off: this deactivates all hob functions and prevents incorrect operation by children.



Pause

For briefly interrupting the cooking process. Set to hold at the push of a button. The originally set level is restored when the control button is pressed again.




Locking function

When switched on, this function can be used as keylock to prevent inadvertent maladjustment, for instance when cleaning.

Induction

Safe, quick and precise – cooking with induction. This innovative technology uses the energy of electromagnetic fields. Heat is generated directly in the base of the pot and the hob itself remains relatively cool. Because the food heats up distinctly faster, an induction hob also uses about 25 % less energy than one with radiant heat.




Time required to heat 1.0l water from 18°C to 98°C in a steel enamel pot (DIN 180, 18 cm diameter) on a 18 cm zone

Power stage

By activating the Power stage, the induction hob is supplied with enough energy to heat large amounts of liquid extremely fast. That way, 1 litre of cold water can be brought to the boil in just 2 minutes.



Time required to heat 1.0l water from 18°C to 98°C in a steel enamel pot (DIN 180, 18 cm diameter) on a 18 cm zone.




FEATURES | FUNCTIONS

Overview of pictograms

Induction		Roaster zone		Automatic electronic bring-to-the-boil function	
Power stage		Dual cooking zone		Pause	
Touch Control operation		Triple cooking zone		Child lock / Locking function	
Touch Slider Control operation		Hob²Hood function			
Residual heat indicator per cooking zone		Bridge function			

* For induction hobs

** For independent hobs



JUNO JKFN604F5


Ceramic hob,
depends on cooker model

Quick-glowing cooking zones

- 1 cooking zone, 21 cm
- 2 cooking zones, 14.5 cm
- 1 cooking zone, 18 cm

Features

- Residual heat indicator per cooking zone
- 4 indicator lights
- Frame stainless steel



JUNO JKFN606F5


Ceramic hob,
depends on cooker model

Quick-glowing cooking zones

- 1 dual cooking zone, 12 / 21 cm
- 1 cooking zone, 14.5 cm
- 1 roaster zone, 17 / 17 x 26.5 cm
- 1 cooking zone, 18 cm

Features

- Residual heat indicator per cooking zone
- 4 indicator lights
- Frame stainless steel



JUNO JKSN604F5


Ceramic hob,
independent

Quick-glowing cooking zones

- 1 cooking zone, 21 cm
- 2 cooking zones, 14.5 cm
- 1 cooking zone, 18 cm

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Child lock
- Automatic safety switch off
- Frame stainless steel



JUNO JKS606F5

Ceramic hob,
independent

Quick-glowing cooking zones

- 1 dual cooking zone, 12 / 21 cm
- 2 cooking zones, 14.5 cm
- 1 roaster zone, 17 / 17 x 26.5 cm

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO JKS807F5


Ceramic hob,
independent

Quick-glowing cooking zones

- 1 dual cooking zone, 12 / 18 cm
- 1 cooking zone, 14.5 cm
- 1 triple cooking zone, 14.5 / 21 / 27 cm
- 1 roaster zone, 17 / 17 x 26.5 cm

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO JKS1604F9


Ceramic hob with induction, independent

Induction cooking zones

- 1 cooking zone, 21 cm with Power stage
- 2 cooking zones, 18 cm
- 1 cooking zone, 14.5 cm with Power stage

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Pause function
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO JKS1605F9


Ceramic hob with induction, independent

Induction cooking zones

- 1 cooking zone, 21 cm with Power stage
- 1 cooking zone, 18 cm
- 1 roaster zone, 17 / 17 x 26.5 cm
- 1 cooking zone, 14.5 cm with Power stage

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO JKS1605R1


Ceramic hob with induction, independent

Induction cooking zones

- 1 cooking zone, 21 cm with Power stage
- 1 cooking zone, 18 cm
- 1 roaster zone, 17 / 17 x 26.5 cm
- 1 cooking zone, 14.5 cm with Power stage

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frameless (flush-mounted)



JUNO SELECTION JKS1603F9


Ceramic hob with induction,
independent

Induction cooking zones

- 2 cooking zones, 21 cm with Power stage and with Bridge function
- 1 dual-circuit cooking zone, 18 / 28 cm with Power stage

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Hob²Hood function
- Bridge function
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Pause function
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO JKS1804F9

Ceramic hob with induction,
independent

Induction cooking zones

- 4 cooking zones, 21 cm with Power stage

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Hob²Hood function
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Pause function
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO SELECTION JKS1808F9

Ceramic hob with induction,
independent

Induction cooking zones

- 2 cooking zones, 21 cm with Power stage and with Bridge function
- 1 cooking zone, 24 cm with Power stage
- 1 cooking zone, 14.5 cm with Power stage

Features

- Touch Slider Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Bridge function
- Hob²Hood function
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Pause function
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO SELECTION JKS1808R9

Ceramic hob with induction,
independent


Induction cooking zones

- 2 cooking zones, 21 cm with Power stage and with Bridge function
- 1 cooking zone, 24 cm with Power stage
- 1 cooking zone, 14.5 cm with Power stage

Features

- Touch Slider Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Bridge function
- Hob²Hood function
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Pause function
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frameless (flush-mounted)

NEW



JUNO JKSN301R3

Ceramic hob,
independent


Quick-glowing cooking zones

- 1 cooking zone, 14.5 cm
- 1 dual cooking zone, 12 / 18 cm

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Timer and alarm clock
- Pause function
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- OffSound control
- Frameless (flush-mounted installation)

NEW



JUNO JKSI300R3

Ceramic hob with induction,
independent

Induction cooking zones

- 1 cooking zone, 21 cm
with Power stage
- 1 cooking zone, 14.5 cm
with Power stage

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Timer and alarm clock
- Pause function
- Child lock
- Locking function
- Acoustic input signal
- OffSound control
- Frameless (flush-mounted installation)

JUNO HOBS

All models at a glance

	JUNO JKFN604F5	JUNO JKFN606F5	JUNO JKSN604F5	JUNO JKSN606F5	JUNO JKSN807F5	JUNO JKSI604F9	JUNO JKSI605F9	JUNO JKSI605R1	JUNO SELECTION JKSI603F9
Appliance type									
Hob, depends on cooker model	•	•							
Hob, independent			•	•	•	•	•	•	•
Quick-glowing cooking zones									
Cooking zone 14.5 cm	2	1	2	2	1				
Cooking zone 18 cm	1	1	1						
Cooking zone 21 cm	1		1						
Dual cooking zone 12/ 18 cm					1				
Dual cooking zone 12/ 21 cm		1		1					
Roaster zone 17/ 17x26.5 cm		1		1	1				
Triple cooking zone 14.5/ 21/ 27 cm					1				
Induction cooking zones									
Cooking zone 14.5 cm									
Cooking zone 14.5 cm with Power stage					1	1	1		
Cooking zone 18 cm					2	1	1		
Cooking zone 18 cm with Power stage									
Cooking zone 21 cm with Power stage					1	1	1	2	
Cooking zone 24 cm with Power stage									
Cooking zone 30 cm with Power stage									
Dual cooking zone 18/ 28 cm with Power stage									1
Roaster zone 17/ 17x26.5 cm						1	1		
Features									
Touch Control operation			•	•	•	•	•	•	•
Touch Slider Control operation									
Electric hob indicator			•	•	•	•	•	•	•
Residual heat indicator per cooking zone	•	•	•	•	•	•	•	•	•
Indicator lights	4	4							
Pot detection						•	•	•	•
Bridge function									•
Roaster zone									
Extendable roaster zone		•		•	•		•	•	
Dual cooking zone		•		•	•				•
Triple cooking zone					•				
Hob²Hood function									•
Autom. electr. bring-to-the-boil function				•	•	•	•	•	•
Timer and alarm clock				•	•	•	•	•	•
Pause function						•		•	•
Child lock			•	•	•	•	•	•	•
Automatic safety switch off			•	•	•	•	•	•	•
Locking function			•	•	•	•	•	•	•
Acoustic input signal				•	•	•	•	•	•
Flat frame	•	•	•	•	•	•	•	•	•
Frameless (flush-mounted installation)								•	
Technical data									
Rated connection in kW	6.5	7.4	6.5	7.0	7.5	7.4	7.4	7.4	7.4

JUNO JKSI804F9
 JUNO SELECTION JKSI808F9
 JUNO SELECTION JKSI808R9
 JUNO JKSN301R3
 JUNO JKSI300R3

Appliance type					
Hob, depends on cooker model					
Hob, independent	•	•	•	•	•
Quick-glowing cooking zones					
Cooking zone 14.5 cm				1	
Cooking zone 18 cm					
Cooking zone 21 cm					
Dual cooking zone 12 / 18 cm				1	
Dual cooking zone 12 / 21 cm					
Roaster zone 17 / 17 x 26.5 cm					
Triple cooking zone 14.5 / 21 / 27 cm					
Induction cooking zones					
Cooking zone 14.5 cm					
Cooking zone 14.5 cm with Power stage		1	1		1
Cooking zone 18 cm					
Cooking zone 18 cm with Power stage					
Cooking zone 21 cm with Power stage	4	2	2		1
Cooking zone 24 cm with Power stage		1	1		
Cooking zone 30 cm with Power stage					
Dual cooking zone 18 / 28 cm with Power stage					
Roaster zone 17 / 17 x 26.5 cm					
Features					
Touch Control operation	•			•	•
Touch Slider Control operation		•	•		
Electric hob indicator	•	•	•	•	•
Residual heat indicator per cooking zone	•	•	•	•	•
Indicator lights					
Pot detection	•	•	•		•
Bridge function		•	•		
Roaster zone					
Extendable roaster zone					
Dual cooking zone				•	
Triple cooking zone					
Hob ² Hood function	•	•	•		
Autom. electr. bring-to-the-boil function	•	•	•		
Timer and alarm clock	•	•	•	•	•
Pause function	•	•	•	•	•
Child lock	•	•	•	•	•
Automatic safety switch off	•	•	•	•	
Locking function	•	•	•	•	•
Acoustic input signal	•	•	•	•	•
Flat frame	•	•			
Frameless (flush-mounted installation)			•	•	•
Technical data					
Rated connection in kW	7.4	7.4	7.4	3.6	3.6



1 Power
Powerfully removes unpleasant smells at a rate of up to 700 m³/h.

3 Hob²Hood function
Highly effective air cleaning – completely automatically.

5 Metal grease filter
Do a good job!

2 Rim ventilation
Optimized air routing for an optimum result.

4 LED Light
Ensures a clear view of everything.

6 Touch Control panel
Clearly laid out and quickly operated.

JUNO EXTRACTOR HOODS

Extractor hoods from JUNO – perfectly designed for every kitchen layout.

Looks perfect ...

You surely spend a great deal of time planning your kitchen. That is good, for the kitchen is a much-used part of the home and should be suitably arranged for the work flows associated with cooking. Along with easy-care surfaces and the internal features, its form is also decisive. Is your kitchen to take the form of a single row or an L-shape? Whatever you choose, JUNO can provide you with a design to match your planning. Flat extractor hoods or overhead wall extractor hoods – whatever you choose, extractor hoods from JUNO will fit your kitchen design perfectly.

... and so is the technology!

An extractor hood naturally has to work flawlessly. After all, the Sunday roast has to taste superb, but its scent must not dwell in the kitchen for hours to come! The best way to get rid of smells is with a JUNO extractor hood operating in vented air mode. Depending on the prevailing circumstances, all extractor hoods can also be operated with recirculating air mode. The metal grease filters are easily cleaned in the dishwasher. A handy integrated working light ensures a perfect view when cooking.

JUNO EXTRACTOR HOODS

Extractor hoods from JUNO – perfectly designed for every kitchen layout.

Design JUNO SELECTION

Extractor hoods from the JUNO SELECTION series ideally complement the Selection ovens and compact appliances. The smooth surface of their panels can be cleaned without effort.

Efficiency classes

JUNO extractor hoods comply with all statutory standards and are rated according to 5 different efficiency ratings A+++ to D or specified in dB (energy efficiency, fluid dynamic efficiency, lighting efficiency, grease separation efficiency and sound power level) in accordance with Regulation (EU) no 65-66 / 2014.

LED light

LED light – bright and economical. Efficient LEDs in this extractor hood light up the entire cooking area clearly and brightly.



Vented air / recirculated air

Vented air mode is the most efficient way to eliminate odours, as vapours are diverted out of the kitchen through a wall sleeve. JUNO extractor hoods can also be operated in recirculated mode.

Hob²Hood function

Hoods with Hob²Hood function guarantee highly effective air cleaning – all automatically. As soon as you start cooking, the hob being used activates the hood and adjusts the necessary power level automatically.

Metal grease filter

The grease filter absorbs grease from the cooking vapours. Metal grease filters from JUNO are easily cleaned in the dishwasher. This keeps your kitchen clean and shiny, without any unpleasant smells.



Standard

Rim ventilation

Cooking vapours are specifically drawn in at high velocity along the edges of the hood and guided to the grease filter in the background.

Fluid dynamic efficiency

Rates the efficiency with which air is routed, i.e. the amount of electrical energy expended in relation to the amount of cooking vapour extracted, filtered and conveyed through the hood.

Lighting efficiency

Rates the efficiency of the lighting. Describes the ratio between the average intensity of the lighting system on the hob and the rated electrical connection of the lighting system.



Grease separating efficiency

Rating for the percentage of grease absorbed from the air drawn into the grease filters of an extractor hood.

FEATURES | FUNCTIONS

Overview of pictograms

Energy efficiency class



LED light



Rim ventilation



Metal grease filter



Operation via Touch Control



Hob²Hood function



JUNO EXTRACTOR HOODS

Overview of designs

Extractor hood designs

- 1 Flat extractor hood
- 2 Wall extractor hood, flat form
- 3 Wall extractor hood, overhead form





JUNO JDF604E3

Flat extractor hood, 60 cm

Features

- Telescoping pull-out with glass
- 1 motor
- 3 power stages
- 1 metal grease filter, dishwasher-safe
- Operation via push buttons
- Lighting: 2 x 8 W, LED
- Suitable for vented air and recirculated air

Power ratings

Power ratings in m ³ /h at	
· maximum normal level	410
Noise level at in dB(A) re 1pW	
· maximum normal level	69

Technical data

Energy efficiency class ¹⁾	C
Fluid dynamic efficiency class	D
Lighting efficiency class	E
Class for grease separating efficiency	D



JUNO JDF905E2

Flat extractor hood, 90 cm

Features

- Telescoping pull-out with metal grease filter
- 1 motor
- 3 power stages
- 4 metal grease filters, dishwasher-safe
- Operation via electronic push buttons
- Switches on and off automatically when the movable filter area is actuated
- Lighting: 2 x 1.1 W, LED
- Suitable for vented air and recirculated air

Power ratings

Power ratings in m ³ /h at	
· maximum normal level	599
Noise level at in dB(A) re 1pW	
· maximum normal level	68

Technical data

Energy efficiency class ¹⁾	A
Fluid dynamic efficiency class	A
Lighting efficiency class	A
Class for grease separating efficiency	C



JUNO SELECTION JDF606E2

Flat extractor hood, 60 cm

Features


- Telescoping pull-out with metal grease filter
- 1 motor
- 3 power stages and 1 intensive stage
- 2 metal grease filters, dishwasher-safe
- Operation via electronic push buttons
- Switches on and off automatically when the movable filter area is actuated
- Lighting: 2 x 3 W, LED
- Suitable for vented air and recirculated air

Power ratings

Power ratings in m ³ /h at	
· maximum normal level	445
· intensive level	660
Noise level at in dB(A) re 1pW	
· maximum normal level	60
· intensive level	69

Technical data

Energy efficiency class ¹⁾	A
Fluid dynamic efficiency class	A
Lighting efficiency class	A
Class for grease separating efficiency	C



JUNO SELECTION JDF906E2

Flat extractor hood, 90 cm

Features

- Telescoping pull-out with metal grease filter
- 1 motor
- 3 power stages and 1 intensive stage
- 4 metal grease filters, dishwasher-safe
- Operation via electronic push buttons
- Switches on and off automatically when the movable filter area is actuated
- Lighting: 2 x 3 W, LED
- Suitable for vented air and recirculated air

Power ratings

Power ratings in m ³ /h at	
· maximum normal level	445
· intensive level	660
Noise level at in dB(A) re 1pW	
· maximum normal level	60
· intensive level	69

Technical data

Energy efficiency class ¹⁾	A
Fluid dynamic efficiency class	A
Lighting efficiency class	A
Class for grease separating efficiency	C

1) Energy efficiency class (scale) A+++ to D



JUNO JDWF604E9

Wall extractor hood, flat form, 60 cm

Features

- 1 motor
- 3 power stages
- 2 metal grease filters, dishwasher-safe (JDWF604E9)
- 3 metal grease filters, dishwasher-safe (JDWF904E9)
- Operation via push buttons
- Lighting: 2 x 2.5W, LED
- Suitable for vented air and recirculated air

Power ratings

Power ratings in m ³ /h at	
· maximum normal level	400
Noise level at in dB(A) re 1pW	
· maximum normal level	65

Technical data

Energieeffizienzklasse ¹⁾	D
Fluid dynamic efficiency class	E
Lighting efficiency class	A
Class for grease separating efficiency	C

JUNO JDWF904E9

Wall extractor hood, flat form, 90 cm

Features

- 1 motor
- 3 power stages
- 2 metal grease filters, dishwasher-safe (JDWF604E9)
- 3 metal grease filters, dishwasher-safe (JDWF904E9)
- Operation via push buttons
- Lighting: 2 x 2.5W, LED
- Suitable for vented air and recirculated air

Power ratings

Power ratings in m ³ /h at	
· maximum normal level	400
Noise level at in dB(A) re 1pW	
· maximum normal level	65

Technical data

Energieeffizienzklasse ¹⁾	D
Fluid dynamic efficiency class	E
Lighting efficiency class	A
Class for grease separating efficiency	C

NEW



JUNO SELECTION JDWK607S3

Wall extractor hood, overhead form, 60 cm

Features

- 1 motor
- 3 power stages and 1 intensive stage
- 2 metal grease filters, dishwasher-safe
- Saturation indicator for metal grease and active carbon filter
- Extraction zones: front and bottom side
- Rim ventilation in the front
- Operation via Touch Control
- Hob²Hood function
- Black glass
- Glass cover retractable
- Lighting: 2 x 5 W, LED
- Suitable for vented air and recirculated air

Power ratings

Power ratings in m ³ /h at	
• maximum normal level	575
• Intensivstufe	710
Noise level at in dB(A) re 1pW	
• maximum normal level	66
• intensive level	68

Technical data

Energieeffizienzklasse ¹⁾	A
Fluid dynamic efficiency class	A
Lighting efficiency class	A
Class for grease separating efficiency	E

NEW



JUNO SELECTION JDWK907S3

Wall extractor hood, overhead form, 90 cm

Features

- 1 motor
- 3 power stages and 1 intensive stage
- 2 metal grease filters, dishwasher-safe
- Saturation indicator for metal grease and active carbon filter
- Extraction zones: front and bottom side
- Rim ventilation in the front
- Operation via Touch Control
- Hob²Hood function
- Black glass
- Glass cover retractable
- Lighting: 2 x 5 W, LED
- Suitable for vented air and recirculated air

Power ratings

Power ratings in m ³ /h at	
• maximum normal level	575
• Intensivstufe	710
Noise level at in dB(A) re 1pW	
• maximum normal level	66
• intensive level	68

Technical data

Energieeffizienzklasse ¹⁾	A
Fluid dynamic efficiency class	A
Lighting efficiency class	A
Class for grease separating efficiency	E

JUNO EXTRACTOR HOODS

All models at a glance

	JUNO JDF604E3	JUNO JDF905E2	JUNO SELECTION JDF606E2	JUNO SELECTION JDF906E2	JUNO JDWF604E9	JUNO JDWF904E9
Features						
Telescoping pull-out without filter						
Telescoping pull-out with glass	•					
Telescoping pull-out with metal grease filter		•	•	•		
Motor	1	1	1	1	1	1
Power stages	3	3	3	3	3	3
Intensive stage			1	1		
Metal grease filters, dishwasher-safe	1	4	2	4	2	3
Saturation indicator for metal grease and active carbon filter						
Rim ventilation						
Operation via rocker switch						
Operation via push buttons	•	•	•	•	•	•
Operation via Touch Control						
LED indicator						
Hob²Hood function						
Switches on and off automatically when the movable filter area is actuated		•	•	•		
Power ratings						
Power ratings at maximum normal level in m3/h	410	599	445	445	400	400
Noise level at maximum normal level in dB(A) re 1pW	69	68	60	60	65	65
Technical data						
LED light in Watts	2 x 8	2 x 1.1	2 x 3	2 x 3	2 x 2.5	2 x 2.5
Energy consumption in kWh/year	56.6	50	44.1	44.1	58.9	58.9
Suitable for vented or recirculating mode	•/•	•/•	•/•	•/•	•/•	•/•
Energy efficiency class ¹⁾	C	A	A	A	D	D
Fluid dynamic efficiency class	D	A	A	A	E	E
Lighting efficiency class	E	A	A	A	A	A
Class for grease separating efficiency	D	C	C	C	C	C

JUNO EXTRACTOR HOODS

All models at a glance

JUNO SELECTION JDWK607S3

JUNO SELECTION JDWK907S3

Features

Telescoping pull-out without filter		
Telescoping pull-out with glass		
Telescoping pull-out with metal grease filter		
Motor	1	1
Power stages	3	3
Intensive stage	1	1
Metal grease filters, dishwasher-safe	2	2
Saturation indicator for metal grease and active carbon filter	•	•
Rim ventilation	•	•
Operation via rocker switch		
Operation via push buttons		
Operation via Touch Control	•	•
LED indicator	•	•
Hob²Hood function	•	•
Switches on and off automatically when the movable filter area is actuated		


Power ratings

Power ratings at maximum normal level in m3/h	575	575
Noise level at maximum normal level in dB(A) re1pW	66	66

Technical data

LED light in Watts	2 x 5	2 x 5
Energy consumption in kWh/year	45.7	45.7
Suitable for vented or recirculating mode	•/•	•/•
Energy efficiency class ¹⁾	A	A
Fluid dynamic efficiency class	A	A
Lighting efficiency class	A	A
Class for grease separating efficiency	E	E

1) Energy efficiency class (scale) A+++ to D



1 XXL interior
A little more perhaps?

2 Noise level
Is the dishwasher running?

3 Height-adjustable top basket
Adaptable & accommodating.

4 TIMEBEAM
See outside what is going on inside!

5 Soft Spikes
Takes care of the good glasses.

6 Delay start
Does the job when you want it done!

JUNO DISHWASHERS

Dishwashers from JUNO adjust admirably to your needs – from festive dinners to cocktail parties.

Flexibility inside

The type and number of plates, etc. in everyday use are mostly very similar. The dishwasher is arranged accordingly and filling it is a routine matter. But what happens when all the big beer glasses need to be put away at once after sitting together to watch a football match? Or when mother-in-law has been served a big Sunday roast? In such cases, it is good to have a dishwasher that can be adapted internally to accommodate such unusually large items as the big roasting pan.

Adaptation of the power

In the same way that the baskets can be adapted to accommodate the plates, etc., various dishwashing programmes can be selected to meet your momentary needs. Rule of

thumb: the dirtier and more numerous the plates, the hotter and longer they should be cleaned. Some models have an automatic programme that adjusts to the contents automatically. A Quick programme that runs at temperatures up to 50°C in 30 minutes or a ExtraHygiene programme can also be selected. All dishwashers feature load sensors. They determine the right temperature and amount of water for the type and number of plates, etc., thus effectively saving water and energy. A starting time can be entered to start the dishwasher at a specific time, such as when electricity rates are cheaper or when its noise causes the least disturbance.

JUNO DISHWASHERS

Dishwashers from JUNO adjust admirably to your needs – from festive dinner to cocktail parties.

Energy efficiency classes

All JUNO dishwashers have at least Energy efficiency class F. The best JUNO dishwashers have Energy efficiency class D. That saves money and protects the environment.



XXL interior

Due to the innovative technical design of their interior, the internal capacity of XXL dishwashers from JUNO is increased by 10 litres and their interior height by 4 cm with the same exterior dimensions. They can therefore also be used to clean large pots or plates measuring up to 33 cm in diameter.



Number of standard place settings

Dishwasher capacity is expressed in standard place settings. Our 60 cm wide dishwashers can accommodate up to 15 standard place settings. 45 cm wide dishwashers can take up to 9 standard place settings.



Load sensor

Sensors determine the type and number of dishes and the amount of water needed. More water is needed when the machine is full than when it contains fewer plates, etc.



Delay start

The delay start allows you to determine when a dishwashing programme is to start in the coming hours. Depending on model, the starting time can be delayed for up to 24 hours.



TimeBeam

TimeBeam technology projects the programme status and exactly the remaining minutes onto the floor. The colour of the bright light can be varied to make it highly visible on all floor coverings.



Self-cleaning sieve

The flat sieve is particularly handy, as its special wave form ensures that it is effectively cleaned by itself.



AirDry

On completion of the drying programme the door automatically opens to 12 - 13 cm. This function may also be switched off.



Cutlery drawer

The cutlery drawer provides plenty of space for cutlery, salad servers as well as espresso cups. The entire drawer is easy to remove and can even be fitted into a kitchen drawer.



Soft Spikes

Glasses in the top basket are held securely by the Soft Spikes which can be flexibly positioned in the top basket.



Rapid height-adjustable top basket

The height of the top basket can be adjusted quickly and easily, even when loaded. This creates additional space for more plates in the top basket or for larger plates in the bottom basket.



ComfortLift

No need to bend your back any more to empty the dishwasher – thanks to a special function that raises the bottom rack. The bottom rack raises by 25 cm. Doubly secured by release handle and release lock.



Flexible top basket

4 foldable cup shelves


The cup shelves in the top basket can be folded down to make room for large glasses.

Standard

Extra-flexible top basket

4 foldable cup shelves, 2 foldable supports for large glasses, 2 foldable plate racks, 2 Soft Spikes

The cup shelves in the top basket can be folded down to make room for large glasses.



Flexible bottom basket

2 foldable plate racks

Foldable plate racks in the bottom basket allow you to make room for large pots and pans.

Extra-flexible bottom basket

4 foldable plate racks

With four foldable plate racks, a great deal of space can be created in the bottom basket for large pots and pans.



Aqua-Stop

Aqua-Stop is an all-round safety feature to prevent nasty surprises. The programme prevents leaks by detecting damage to the inflow hose and an emptying pump ensures that the water is pumped off.



Standard

Sliding door system

When the appliance door is opened, the furniture front glides upwards, thus enabling a minimum gap dimension as well as the appearance of extremely long furniture fronts.



Antifinger stainless steel coating

The Antifinger stainless steel coating gives your kitchen an extra shine. Fingerprints on the dishwasher panel are a thing of the past now.



PROGRAMMES

Dishwashers feature a number of special programmes to meet the needs of different lifestyles.

Intensive

At a temperature of 60°C, your dishwasher produces an immaculate result even when the dishes are heavily soiled with dried-on food residues, such as egg white or starch.



Automatic

A sensor in the Automatic programme (50 - 60°C) detects the extent to which the plates etc. in the dishwasher are soiled. The programme is adjusted automatically to maximize energy, water and time savings.
























Touch control

The new operating logic in all fully integrated models eliminates the guesswork involved in selecting the washing programme. You decide when you want your dishes to be ready. The dishwasher does the rest for you. We thus offer a completely new kind of dishwashing.

FEATURES | FUNCTIONS

Overview of pictograms

Energy efficiency class		13 place settings		Cutlery drawer	
XXL interior		15 place settings		Height-adjustable top basket	
Intensive 60°C		Antifinger stainless steel coating		ComfortLift	
Automatic 50 - 60°C		Delay Start		Soft Spikes	
30 minutes		TimeBeam		Water	
9 place settings		BeamOnFloor 2 coloured		Aqua-Stop	
12 place settings		AirDry		Sliding door system	



JUNO JGVN456E2

Fully integrated dishwasher, 45 cm

Programmes

- 30 min. 50°C
- 90 min. 60°C
- Auto 50-60°C
- Eco
- Machine care
- Pre-rinse
- 1 special function: XtraPower

Capacity

- 9 international place settings

Features

- Delay start 3 hours
- Acoustic signal at end of programme
- AirDry
- LED indicator for refill salt and rinse aid
- Load sensor
- Interior and base in stainless steel
- Aqua-Stop
- Self-adhesive PP vapour-proof film

Flexible top basket

- 2 foldable cup shelves in top basket
- Rapid height-adjustable top basket
- Max. dish height: top 24 / 20 cm, bottom 27 / 31 cm

Bottom basket

- Bottom basket with fixed rows of plate racks

Technical data

Noise levels	46 dB(A) re1pW
Noise class	C
Economy cycle duration	04:00 h
Energy consumption*	0,70 kWh
Water consumption*	9.9 litres
Energy efficiency class ¹⁾	E



JUNO JGVN606F1

Fully integrated dishwasher, 60 cm

Programmes

- 30 min. 50°C
- 90 min. 60°C
- Auto 50-60°C
- Eco
- Machine care
- Pre-rinse
- 1 special function: XtraPower

Capacity

- 13 international place settings

Features

- Delay start 3 hours
- Acoustic signal at end of programme
- End-of-programme indicator
- AirDry
- LED indicator for refill salt and rinse aid
- Load sensor
- Interior and base in stainless steel
- Aqua-Stop
- Self-adhesive PP vapour-proof film

Flexible top basket

- 2 foldable cup shelves in top basket
- Rapid height-adjustable top basket
- Max. dish height: top 24 / 20 cm, bottom 27 / 31 cm

Bottom basket

- Bottom basket with fixed rows of plate racks

Technical data

Noise levels	49 dB(A) re1pW
Noise class	C
Economy cycle duration	03:47 h
Energy consumption*	1,04 kWh
Water consumption*	9.9 litres
Energy efficiency class ¹⁾	F



JUNO JGVN606E1

Fully integrated dishwasher, 60 cm

Programmes

- 30 min. 50°C
- 90 min. 60°C
- Auto 50-60°C
- Eco
- Machine care
- Pre-rinse
- 1 special function: XtraPower

Capacity

- 13 international place settings

Features

- Delay start 3 hours
- Time remaining indicator in minutes
- Acoustic signal at end of programme
- AirDry
- LED indicator for refill salt and rinse aid
- Load sensor
- Interior and base in stainless steel
- Aqua-Stop
- Self-adhesive PP vapour-proof film

Flexible top basket

- 2 foldable cup shelves in top basket
- Rapid height-adjustable top basket
- Max. dish height: top 24 / 20 cm, bottom 27 / 31 cm

Bottom basket

- Bottom basket with fixed rows of plate racks

Technical data

Noise levels	47 dB(A) re1pW
Noise class	C
Economy cycle duration	03:47 h
Energy consumption*	0,94 kWh
Water consumption*	9.9 litres
Energy efficiency class ¹⁾	E



JUNO SELECTION JGVX605E1

Fully integrated dishwasher, 60 cm

Programmes

- 30 min. 50°C
- 90 min. 60°C
- Auto 50-60°C
- Eco
- Machine care
- 1 special function: XtraPower

Capacity

- 13 international place settings

Features

- Delay start 3 hours
- Time remaining indicator in minutes
- Acoustic signal at end of programme
- BeamOnFloor 2 coloured
- AirDry
- LED indicator for refill salt and rinse aid
- Load sensor
- Interior and base in stainless steel
- XXL interior
- Aqua-Stop
- Self-cleaning sieve
- Self-adhesive PP vapour-proof film

Extra-flexible top basket


- 4 foldable cup shelves
- 2 foldable supports for large glasses
- 2 foldable plate racks
- 2 Soft Spikes
- Rapid height-adjustable top basket
- Max. dish height:
top 24 / 21 cm, bottom 28 / 34 cm

Flexible bottom basket

- 2 foldable plate racks in bottom basket

Technical data

Noise levels	46 dB(A) re1pW
Noise class	C
Economy cycle duration	04:00 h
Energy consumption*	0,94 kWh
Water consumption*	10,5 litres
Energy efficiency class ¹⁾	E



JUNO SELECTION JGVX608E2

Fully integrated dishwasher, 60 cm

Programmes

- 30 min. 50°C
- 60 min. 60°C
- 90 min. 60°C
- Auto 50-60°C
- Eco
- Intensive 60°C
- Machine care
- Pre-rinse
- 2 special functions: GlassCare, XtraPower

Capacity

- 15 international place settings

Features

- Delay start 1-24 hours
- Time remaining indicator in minutes
- Acoustic signal at end of programme
- BeamOnFloor 2 coloured
- AirDry
- LED indicator for refill salt and rinse aid
- Load sensor
- Interior and base in stainless steel
- XXL interior
- Aqua-Stop
- Self-cleaning sieve
- Self-adhesive PP vapour-proof film
- Cutlery drawer, removable

Extra-flexible top basket

- 4 foldable cup shelves
- 2 foldable supports for large glasses
- 2 foldable plate racks
- 2 Soft Spikes
- Rapid height-adjustable top basket
- Max. dish height:
top 16.5 / 12 cm, bottom 28 / 33 cm

Flexible bottom basket

- 2 foldable plate racks in bottom basket

Technical data

Noise levels	46 dB(A) re1pW
Noise class	C
Economy cycle duration	04:00 h
Energy consumption*	0,96 kWh
Water consumption*	11 litres
Energy efficiency class ¹⁾	E



JUNO SELECTION JGVX608D1

Fully integrated dishwasher, 60 cm

Programmes

- 30 min. 50°C
- 60 min. 60°C
- 90 min. 60°C
- Auto 50-60°C
- Eco
- Intensive 60°C
- Machine care
- Pre-rinse
- 3 special functions: ExtraHygiene, GlassCare, XtraPower

Capacity

- 13 international place settings

Features

- Delay start 1-24 hours
- Time remaining indicator in minutes
- Acoustic signal at end of programme
- TimeBeam
- AirDry
- LED indicator for refill salt and rinse aid
- Load sensor
- Interior and base in stainless steel
- XXL interior
- Aqua-Stop
- Self-cleaning sieve
- Self-adhesive PP vapour-proof film

Extra-flexible top basket

- 4 foldable cup shelves
- 2 foldable supports for large glasses
- 2 foldable plate racks
- 2 Soft Spikes
- Rapid height-adjustable top basket
- Max. dish height:
top 24 / 21 cm, bottom 28 / 34 cm


Extra-flexible bottom basket

- 4 foldable plate racks in bottom basket

Technical data

Noise levels	44 dB(A) re1pW
Noise class	B
Economy cycle duration	04:00 h
Energy consumption*	0,84 kWh
Water consumption*	10,5 litres
Energy efficiency class ¹⁾	D

* 1 standard cleaning cycle in eco programm



JUNO SELECTION JGVL608E2

Fully integrated dishwasher, 60 cm

Programmes

- 30 min. 50°C
- 60 min. 60°C
- 90 min. 60°C
- Auto 50-60°C
- Eco
- Intensive 60°C
- Machine care
- Pre-rinse
- 2 special functions: GlassCare, XtraPower

Capacity

- 12 international place settings

Features

- Delay start 1-24 hours
- Time remaining indicator in minutes
- Acoustic signal at end of programme
- BeamOnFloor 2 coloured
- AirDry
- LED indicator for refill salt and rinse aid
- Load sensor
- Interior and base in stainless steel
- XXL interior
- Aqua-Stop
- Self-cleaning sieve
- Self-adhesive PP vapour-proof film

Flexible top basket

- 4 foldable cup shelves
- 2 foldable plate racks
- 2 Soft Spikes
- Rapid height-adjustable top basket
- Max. dish height: top 16,5 / 12 cm, bottom 28 / 33 cm

Flexible bottom basket with ComfortLift

- 4 foldable plate racks in bottom basket

Technical data

Noise levels	46 dB(A) re1pW
Noise class	C
Economy cycle duration	04:00 h
Energy consumption*	0,92 kWh
Water consumption*	11 litres
Energy efficiency class ¹⁾	E

JUNO JGIN605E2

Integrated dishwasher, 60 cm

Programmes

- 30 min. 50°C
- 90 min. 60°C
- 160 min. 60°C
- Eco
- Pre-rinse

Capacity

- 13 international place settings

Features

- Top-mounted control knob
- Antifinger stainless steel coating
- Delay start 3 hours
- Programme sequence indicator
- AirDry
- LED indicator for refill salt and rinse aid
- Load sensor
- Interior and base in stainless steel
- Aqua-Stop
- Self-adhesive PP vapour-proof film

Flexible top basket

- 2 foldable cup shelves in top basket
- Manually height-adjustable top basket
- Max. dish height: top 24 / 20 cm, bottom 27 / 31 cm

Bottom basket

- Bottom basket with fixed rows of plate racks

Technical data

Noise levels	49 dB(A) re1pW
Noise class	C
Economy cycle duration	03:47 h
Energy consumption*	0,94 kWh
Water consumption*	9.9 litres
Energy efficiency class ¹⁾	E

JUNO DISHWASHERS

All models at a glance

	JUNO JGVN456E2	JUNO JGVN606F1	JUNO JGVN606E1	JUNO SELECTION JGVX605E1	JUNO SELECTION JGVX608E2	JUNO SELECTION JGVX608D1	JUNO SELECTION JGVL608E2	JUNO JGIN605E2
Programmes								
30 min. 50°C	•	•	•	•	•	•	•	•
60 min. 60°C					•	•	•	
90 min. 60°C	•	•	•	•	•	•	•	•
160 min. 60°C								•
Auto 50-60°C	•	•	•	•	•	•	•	
Eco	•	•	•	•	•	•	•	•
Intensive 60°C					•	•	•	•
Machine care	•	•	•	•	•	•	•	
Pre-rinse	•	•	•		•	•	•	•
Special functions								
ExtraHygiene						•		
GlassCare					•	•	•	
XtraPower	•	•	•	•	•	•	•	
Capacity								
Place settings	9	13	13	13	15	13	12	13
Features								
XXL interior				•	•	•	•	
Top-mounted control knob								•
Antifinger stainless steel coating								•
Delay start in hours	3	3	3	3	1-24	1-24	1-24	3
Programme sequence indicator								•
Time remaining indicator in minutes			•	•	•	•	•	
Acoustic signal at end of programme	•	•	•	•	•	•	•	
End-of-programme indicator		•						•
TimeBeam / BeamOnFloor 2 coloured				-/•	-/•	•/-	-/•	
AirDry	•	•	•	•	•	•	•	•
LED indicator for refill salt and rinse aid	•	•	•	•	•	•	•	•
Load sensor	•	•	•	•	•	•	•	•
Interior and base in stainless steel	•	•	•	•	•	•	•	•
Self-cleaning sieve				•	•	•	•	
Cutlery drawer, removable					•			
FLEXIBLE top basket	•	•	•				•	•
EXTRA FLEXIBLE top basket				•	•	•		
Manually height-adjustable								•
Rapid height-adjustable	•	•	•	•	•	•	•	
Max. dish height top in cm	24/20	24/20	24/20	24/21	16,5/12	24/21	16,5/12	24/20
Max. dish height bottom in cm	27/31	27/31	27/31	28/34	28/33	28/34	28/33	27/31
Foldable cup shelves	2	2	2	4	4	4	4	2
Foldable supports for large glasses				2	2	2		
Foldable plate racks / Soft Spikes				2/2	2/2	2/2	2/2	
FLEXIBLE bottom basket / ComfortLift				•	•		•/•	
EXTRA FLEXIBLE bottom basket						•		
Foldable plate racks				2	2	4	4	
Self-adhesive PP vapour-proof film	•	•	•	•	•	•	•	•
Aqua-Stop	•	•	•	•	•	•	•	•
Fixed / or sliding door system	-/•	-/•	-/•	-/•	-/•	-/•	-/•	•/-
Technical data								
Noise level in dB(A) re1pW	46	49	47	46	46	44	46	49
Noise class	C	C	C	C	C	B	C	C
Energy consumption in kWh *	0.70	1.04	0.94	0.94	0.96	0.84	0.92	0.94
Water consumption in litres *	9.9	9.9	9.9	10.5	11	10.5	11	9.9
Economy cycle duration in hours	04:00	03:47	03:47	04:00	04:00	04:00	04:00	03:47
Energy efficiency class (scale A to G)	E	F	E	E	E	D	E	E
Suitable for Gerberit Silent-discharge				•	•	•	•	

* 1 standard cleaning cycle in eco programm



1 LC-Display
Everything in view and easy to use with Touch Control (not shown).

2 Transparent features inside the door
Technical features can also look good.

3 CustomFlex®-door storage system
Optimal use of space – thanks to movable boxes.

4 Glass shelves
Look good and are easy to clean.

5 NoFrost-technology
Easy handling due to an equal distribution of the temperature and the prevention of ice formation.

JUNO FRIDGES

Fridges from JUNO – for optimum storage of your fresh groceries.

Fresh keeps better

A familiar situation – the day in the office ends late and the supermarket is already closed. A quick look in the fridge at home and ... what a relief to see it is packed with fresh food. Fridges from JUNO are ideal in such situations. The hygienic glass shelves are easy to clean. The indicator shows whether the temperature is low enough to store unpasteurized cheese.

Always nice and clean

Goodbye to frost and water. A special feature of the JUNO cooling units is the NoFrost-technology, which prevents the formation of ice and frost. This keeps the interior of the appliance always clean and hygienic. Consequently, defrosting is over – the condensate evaporates automatically. Thus, both compartments of the fridge-/freezer combination are automatically defrosted.

JUNO FRIDGES

Fridges from JUNO – for optimum storage of your fresh groceries.

Energy efficiency classes

All JUNO built-in fridges have at least the energy efficiency class E or F and are very economical in terms of energy. Therefore, they are not only worthwhile for the environment but also for personal finances.



Climate classes SN / N / ST / T

The climate classification indicates the temperature range in which the refrigerator should be operated.

Climate classifications:

SN = Subnormal: suitable for ambient temperatures of +10°C to +32°C

N = Normal: suitable for ambient temperatures of +16°C to +32°C

ST = Subtropical: suitable for ambient temperatures of +16°C to +38°C

T = Tropical: suitable for ambient temperatures of +16°C to +43°C

LC display

Convenient operation of all functions via touch-sensitive sensors – a touch of the finger is all it takes. The LC display shows the selected functions.



LED interior light

For perfect illumination of the fridge interior. Bright LED light that gradually intensifies: the light slowly becomes brighter over 2 seconds when the door is opened.



Glass shelves

Safety glass shelves with metal-coloured protective strip.

- The protective strip protects the glass edge. This reduces the risk of the glass breaking.
- If the glass should ever be damaged, it breaks up into numerous small fragments, thus greatly reducing the risk of injury.



Transparent features inside the door

The bright easy-care interior fittings ensure a perfect overview and are cleaned in a jiffy.



CustomFlex®-door storage system

With its moveable containers, the CustomFlex® storage system makes optimum use of every inch of space in the door and permits the practical arrangement of food in any way you choose.

Comprising:

- 1 container with flap (half width)
- 2 wide door shelves (¾ width)
- 2 narrow, small door shelves
- 1 tall, narrow container / door shelf
- 2 moveable clips.

Temperature indicator

JUNO fridges have a temperature indicator which changes and shows "OK" when the temperature drops below 4°C. So that you know it is cold enough to store unpasteurized cheese without difficulty, for example.



LowFrost system

Permits very rapid defrosting and easy cleaning. LowFrost technology with external evaporator significantly reduces the formation of ice and frost; the inner walls of the freezing compartment are smooth and without cooling coils.

This innovative design permits FLEXIBLE USE OF THE FREEZING CHAMBER, as the glass shelves and drawers can be removed from the freezing chamber. This creates space for large items of food, such as a turkey or gateau.



NoFrost

No need to defrost ever again. No icing/frosting in the freezer or on frozen items. Both sections of the fridge/freezer combination defrost automatically. Defrost water evaporates automatically.

Dynamic cooling by recirculation

The dynamic cooling by recirculation in our 0°C fridges ensures that the interior is uniformly cooled and the temperature distributed to protect your foods from unexpected fluctuations in temperature and moisture. For enduring freshness in the entire fridge.

Fridges/freezers with F

Distribution in Switzerland precluded for legal reasons. Exception: single-door refrigerators with F with a freezer compartment that accounts for less than 18%.



FEATURES | FUNCTIONS

Overview of pictograms

Energy efficiency class



LED interior light



NoFrost



Dynamic cooling by recirculation



CustomFlex® door storage system



LC display



LowFrost system





 F fridges: Distribution in Switzerland precluded for legal reasons.

JUNO JCG088E0S1

Integrated freezer

General

- Capacity: 98 litres
- Electronic temperature control

Freezer compartment

- **** freezer compartment: -18 °C and lower
- 4 transparent drawers for frozen food
- 3 removable glass shelves
- LowFrost system
- Quick freeze
- 2 indicator lights
- Ice cube tray
- Ice scraper

Technical data

Energy efficiency class ¹⁾	E
Energy consumption / year	177 kWh
Noise level	34 dB(A) re1pW
Noise class	B
Freezing capacity	4.5 kg / 24 hours
Storage time in case of faults	12.7 hours
Climate class	SN-N-ST-T

JUNO JCN088F0S1

Integrated fridge

General

- Capacity: 142 litres
- Mechanical temperature control

Fridge compartment

- LED interior light
- Temperature indicator
- 4 glass shelves, thereof 3 height-adjustable
- 1 transparent vegetable container
- 3 door shelves
- Automatic defrost function
- Egg tray

Technical data

Energy efficiency class ¹⁾	F
Energy consumption / year	117 kWh
Noise level	38 dB(A) re1pW
Noise class	C
Climate class	SN-N-ST-T

JUNO JCF088F0S1

Integrated fridge
with freezer compartment

General

- Capacity total: 123 litres
- Electronic temperature control

Fridge compartment

- Capacity: 109 litres
- LED interior light
- Temperature indicator
- 3 glass shelves, thereof 2 height-adjustable
- 1 transparent vegetable container
- 3 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment


- **** freezer compartment: -18 °C and lower
- Capacity: 14 litres
- Ice cube tray

Technical data

Energy efficiency class ¹⁾	F
Energy consumption / year	178 kWh
Noise level	38 dB(A) re1pW
Noise class	C
Freezing capacity	2.6 kg / 24 hours
Storage time in case of faults	8.5 hours
Climate class	SN-N-ST

NEW



 F fridges: Distribution in Switzerland precluded for legal reasons.

JUNO JCN102F0S3

Integrated fridge

General

- Capacity: 181 litres
- Mechanical temperature control

Fridge compartment

- LED interior light
- Temperature indicator
- 4 glass shelves, thereof 3 height-adjustable
- 1 transparent vegetable container
- 4 door shelves
- Automatic defrost function
- Egg tray

Technical data

Energy efficiency class ¹⁾	F
Energy consumption / year	123 kWh
Noise level	35 dB(A) re1pW
Noise class	C
Climate class	SN-N-ST

NEW



JUNO JCF102F0S3

Integrated fridge
with freezer compartment

General

- Capacity total: 164 litres
- Mechanical temperature control

Fridge compartment

- Capacity: 147 litres
- LED interior light
- Temperature indicator
- 3 glass shelves, thereof 2 height-adjustable
- 1 transparent vegetable container
- 4 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18 °C and lower
- Capacity: 17 litres
- Ice cube tray

Technical data

Energy efficiency class ¹⁾	F
Energy consumption / year	185 kWh
Noise level	36 dB(A) re1pW
Noise class	C
Freezing capacity	2.6 kg / 24 hours
Storage time in case of faults	7.9 hours
Climate class	N-ST

1) Energy efficiency class (scale) A to G



 F fridges: Distribution in Switzerland precluded for legal reasons.

JUNO JCN122F0S1

Integrated fridge

General

- Capacity: 207 litres
- Mechanical temperature control

Fridge compartment

- LED interior light
- Temperature indicator
- 5 glass shelves, thereof 4 height-adjustable
- 1 transparent vegetable container
- 4 door shelves
- Automatic defrost function
- Egg tray

Technical data

Energy efficiency class ¹⁾	F
Energy consumption / year	127 kWh
Noise level	35 dB(A) re1pW
Noise class	B
Climate class	SN-N-ST-T



JUNO JCF122F0S1

Integrated fridge
with freezer compartment

General

- Capacity total: 187 litres
- Electronic temperature control

Fridge compartment

- Capacity: 173 litres
- LED interior light
- Temperature indicator
- 4 glass shelves, thereof 3 height-adjustable
- 1 transparent vegetable container
- 4 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18 °C and lower
- Capacity: 14 litres
- Ice cube tray

Technical data

Energy efficiency class ¹⁾	F
Energy consumption / year	182 kWh
Noise level	35 dB(A) re1pW
Noise class	B
Freezing capacity	2.7 kg / 24 hours
Storage time in case of faults	8 hours
Climate class	SN-N-ST-T



 F fridges: Distribution in Switzerland precluded for legal reasons.

JUNO JCU145F0S1

Integrated fridge / freezer unit
with freezer at bottom

General

- Capacity total: 217 litres
- Electronic temperature control

Fridge compartment

- Capacity: 160 litres
- LED interior light
- Temperature indicator
- 3 glass shelves, thereof 2 height-adjustable
- 2 transparent vegetable containers
- 4 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18 °C and lower
- Capacity: 57 litres
- 2 transparent drawers for frozen food
- 1 removable glass shelf
- LowFrost system
- Frozen food calendar
- Ice cube tray
- Ice scraper

Technical data

Energy efficiency class ¹⁾	F
Energy consumption / year	253 kWh
Noise level	35 dB(A) re1pW
Noise class	B
Freezing capacity	2.6 kg / 24 hours
Storage time in case of faults	13.2 hours
Climate class	SN-N-ST



 F fridges: Distribution in Switzerland precluded for legal reasons.

JUNO JCU158F0S1

Integrated fridge / freezer unit
with freezer at bottom

General

- Capacity total: 232 litres
- Electronic temperature control

Fridge compartment

- Capacity: 160 litres
- LED interior light
- Temperature indicator
- 3 glass shelves, thereof 2 height-adjustable
- 2 transparent vegetable containers
- 4 door shelves, thereof 1 small movable shelf
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18 °C and lower
- Capacity: 72 litres
- 3 transparent drawers for frozen food
- 2 removable glass shelves
- LowFrost system
- Ice cube tray
- Ice scraper

Technical data

Energy efficiency class ¹⁾	F
Energy consumption / year	271 kWh
Noise level	36 dB(A) re1pW
Noise class	C
Freezing capacity	4.5 kg / 24 hours
Storage time in case of faults	14.5 hours
Climate class	SN-N-ST-T

1) Energy efficiency class (scale) A to G



 F fridges: Distribution in Switzerland precluded for legal reasons.

JUNO SELECTION JCF178F0S1

Integrated fridge with freezer compartment

General

- Capacity total: 284 litres in total
- Electronic temperature control via LC display with Touch Control operation
- Dynamic cooling by recirculation
- Acoustic warning signal

Fridge compartment

- Capacity: 259 litres
- LED interior light
- Temperature indicator
- 5 glass shelves, thereof 4 height-adjustable
- 1 transparent vegetable container with telescoping pull-out
- 5 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18 °C and lower
- Capacity: 25 litres
- Shelf
- Ice cube tray

Technical data

Energy efficiency class ¹⁾	F
Energy consumption / year	206 kWh
Noise level	35 dB(A) re1pW
Noise class	B
Freezing capacity	5.7 kg / 24 hours
Storage time in case of faults	14 hours
Climate class	SN-N-ST-T

JUNO JCU178F0S1

Integrated fridge / freezer unit with freezer at bottom

General

- Capacity total: 268 litres
- Electronic temperature control

Fridge compartment

- Capacity: 196 litres
- LED interior light
- Temperature indicator
- 5 glass shelves, thereof 4 height-adjustable
- 2 transparent vegetable containers
- 4 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18 °C and lower
- Capacity: 72 litres
- 3 transparent drawers for frozen food
- 2 removable glass shelves
- LowFrost system
- Frozen food calendar
- Ice cube tray
- Ice scraper

Technical data

Energy efficiency class ¹⁾	F
Energy consumption / year	273 kWh
Noise level	35 dB(A) re1pW
Noise class	B
Freezing capacity	3.9 kg / 24 hours
Storage time in case of faults	11.5 hours
Climate class	SN-N-ST-T

JUNO SELECTION JCU178E8S1

Integrated fridge / freezer unit with freezer at bottom

General

- Capacity total: 253 litres
- Electronic temperature control via LED display with Touch Control operation
- Dynamic cooling by recirculation

Fridge compartment

- Capacity: 192 litres
- LED interior light
- Temperature indicator
- 5 glass shelves, thereof 4 height-adjustable
- 2 transparent vegetable containers
- CustomFlex® door storage system
- Automatic defrost function
- 2 egg trays

Freezer compartment

- **** freezer compartment: -18 °C and lower
- Capacity: 61 litres
- 3 transparent drawers for frozen food
- 2 removable glass shelves
- NoFrost
- Frozen food calendar
- Ice cube tray
- 2 Cold packs

Technical data

Energy efficiency class ¹⁾	E
Energy consumption / year	214 kWh
Noise level	39 dB(A) re1pW
Noise class	C
Freezing capacity	5 kg / 24 hours
Storage time in case of faults	9.5 hours
Climate class	SN-N-ST-T



 F fridges: Distribution in Switzerland precluded for legal reasons.

JUNO SELECTION JCU190F0S3

Integrated fridge / freezer unit
with freezer at bottom

General

- Capacity: total 289 l
- Electronic temperature control via LC display with Touch Control operation
- Dynamic cooling by recirculation

Fridge compartment

- Capacity: 216 litres
- LED interior light
- Temperature indicator
- 5 glass shelves, thereof 4 height-adjustable
- 1 transparent vegetable container with telescoping pull-out
- 4 door shelves, thereof 1 small movable shelf
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18°C and lower
- Capacity: 73 litres
- 3 transparent drawers for frozen food
- 2 removable glass shelves
- LowFrost system
- Frozen food calendar
- Ice cube tray
- Ice scraper

Technical data

Energy efficiency class ¹⁾	F
Energy consumption / year	274 kWh
Noise level	34 dB(A) re1pW
Noise class	B
Freezing capacity	4.3 kg / 24 hours
Storage time in case of faults	11.5 hours
Climate class	SN-N-ST-T



 F fridges: Distribution in Switzerland precluded for legal reasons.

JUNO JCN082F0F1

Built-under fridge

General

- Capacity: 133 litres
- Mechanical temperature control

Fridge compartment

- LED interior light
- Temperature indicator
- 4 glass shelves, thereof 3 height-adjustable, 1 divisible
- 1 vegetable compartment
- 3 door shelves, thereof 1 small movable shelf
- Automatic defrost function
- Egg tray

Technical data

Energy efficiency class ¹⁾	F
Energy consumption / year	116 kWh
Noise level	37 dB(A) re1pW
Noise class	C
Climate class	SN-N-ST



 F fridges: Distribution in Switzerland precluded for legal reasons.

JUNO JCF082F0F1

Built-under fridge
with freezer compartment

General

- Capacity total: 109 litres
- Mechanical temperature control

Fridge compartment

- Capacity: 93 litres
- LED interior light
- Temperature indicator
- 3 glass shelves, thereof 2 height-adjustable
- 1 vegetable compartment
- 3 door shelves, thereof 1 small movable shelf
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18°C and lower
- Capacity: 16 litres
- Ice cube tray

Technical data

Energy efficiency class ¹⁾	F
Energy consumption / year	185 kWh
Noise level	38 dB(A) re1pW
Noise class	C
Freezing capacity	2.6 kg / 24 hours
Storage time in case of faults	8.2 hours
Climate class	SN-N-ST

JUNO FRIDGES

All models at a glance

	JUNO JCG 088F051	JUNO JCN088F051	JUNO JCF088F051	JUNO JCN102F053	JUNO JCF102F053	JUNO JCN122F051	JUNO JCF122F051
Capacity in litres							
Fridge		142	109	181	147	207	173
Freezer	98		14		17		14
Total	98	142	123	181	164	207	187
Features fridge							
Mechanical temperature control		•		•	•	•	
Electronic temperature control			•				•
Electronic temperature control via LC display with Touch Control operation							
Electronic temperature control via LED display with Touch Control operation							
Dynamic cooling by recirculation							
Acoustic warning signal							
LED interior light		•	•	•	•	•	•
Temperature indicator		•	•	•	•	•	•
Total glass shelves		4	3	4	3	5	4
Height-adjustable glass shelves		3	2	3	2	4	3
Transparent vegetable containers		1	1	1	1	1	1
Transparent vegetable containers with telescoping pull-out							
Vegetable container							
Door shelves		3	3	4	4	4	4
Door shelves, thereof 1 small movable shelf							
CustomFlex door shelf system							
Automatic defrost function		•	•	•	•	•	•
Egg tray		•	•	•	•	•	•
Features freezer							
**** freezer comp.: -18°C and lower		•	•		•		•
Shelf, height-adjustable							
Transparent drawers for frozen food		4					
Removable glass shelves		3					
Electronic temperature control		•					
Quick freeze		•					
Indicator lights		2					
LowFrost system		•					
NoFrost							
Frozen food calendar							
Ice cube tray		•	•		•		•
Ice scraper		•					
Cold pack							
Defrosting method							
Energy efficiency class ¹⁾	E	F	F	F	F	F	F
Energy consumption in kWh/year	177	117	178	123	185	127	182
Noise level in dB(A) re1pW	34	38	38	35	36	35	35
Noise class	B	C	C	C	C	B	B
Freezing capacity in kg/24 h	4.5		2.6		2.6		2.7
Storage time in case of faults in hours	12.7		8.5		7.9		8
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST	SN-N-ST	N-ST	SN-N-ST-T	SN-N-ST-T
Sliding door system	•	•	•	•	•	•	•
Flat hinge system							

 F fridges: Distribution in Switzerland precluded for legal reasons.

JUNO FRIDGES

All models at a glance

JUNO JCU145F051
 JUNO JCU158F051
 JUNO SELECTION JCF178F051
 JUNO JCU178F051
 JUNO SELECTION JCU178E8S1
 JUNO SELECTION JCU190F053
 JUNO JCN082F0F1
 JUNO JCF082F0F1

Capacity in litres	JUNO JCU145F051	JUNO JCU158F051	JUNO SELECTION JCF178F051	JUNO JCU178F051	JUNO SELECTION JCU178E8S1	JUNO SELECTION JCU190F053	JUNO JCN082F0F1	JUNO JCF082F0F1
Fridge	160	160	259	196	192	216	133	93
Freezer	57	72	25	72	61	73		16
Total	217	232	284	268	253	289	133	109

Features fridge

Mechanical temperature control							•	•
Electronic temperature control	•	•		•				
Electronic temperature control via LC display with Touch Control operation			•			•		
Electronic temperature control via LED display with Touch Control operation					•			
Dynamic cooling by recirculation			•		•	•		
Acoustic warning signal			•					
LED interior light	•	•	•	•	•	•	•	•
Temperature indicator	•	•	•	•	•	•	•	•
Total glass shelves	3	3	5	5	5	5	4	3
Height-adjustable glass shelves	2	2	4	4	4	4	3	2
Transparent vegetable containers	2	2		2	2	1		
Transparent vegetable containers with telescoping pull-out			1					
Vegetable container							1	1
Door shelves	4		5	4				
Door shelves, thereof 1 small movable shelf		4				4	3	3
CustomFlex door shelf system					•			
Automatic defrost function	•	•	•	•	•	•	•	•
Egg tray	•	•	•	•	•	•	•	•

Features freezer

**** freezer comp.: -18 °C and lower	•	•	•	•	•	•		•
Shelf, height-adjustable			•					
Transparent drawers for frozen food	2	3		3	3	3		
Removable glass shelves	1	2		2	2	2		
Electronic temperature control								
Quick freeze								
Indicator lights								
LowFrost system	•	•		•		•		
NoFrost					•			
Frozen food calendar	•			•	•	•		
Ice cube tray	•	•	•	•	•	•		•
Ice scraper	•	•		•		•		
Cold pack					•			

Defrosting method

Energy efficiency class ¹⁾	F	F	F	F	E	F	F	F
Energy consumption in kWh/year	253	271	206	273	214	274	116	185
Noise level in dB(A) re1pW	35	36	35	35	39	34	37	38
Noise class	B	C	B	B	C	B	C	C
Freezing capacity in kg/24 h	2.6	4.5	5.7	3.9	5	4.3		2.6
Storage time in case of faults in hours	13.2	14.5	14	11.5	9.5	11.5		8.2
Climate class	SN-N-ST	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST	SN-N-ST
Sliding door system	•	•	•	•	•	•		
Flat hinge system							•	•

 F fridges: Distribution in Switzerland precluded for legal reasons.

JUNO ACCESSORIES

Optional added value for ovens, cookers and extractor hoods from JUNO.

Cookers & ovens

Baking sheet, enamelled

Ideal for baking cakes or cookies, etc. Easy to clean, with smooth enamel surface.



Illustration: CTGR-AP
Enamelled baking sheet for JUNO SELECTION

Grease pan, enamelled

For cakes and for baking, grilling and scalloping large quantities. Easy to clean, with smooth enamel surface.



Illustration: DPGR-AP
Enamelled grease pan for JUNO SELECTION

Set of steam containers (perforated / unperforated)

Ideal e.g. for vegetable, fish and dumplings, and for collecting the broth in combination with the unperforated container.



Illustration: A90 BGC 23
Set of cooking containers for JUNO SELECTION

Telescoping pull-out, 2-fold / 3-fold part extension pull-outs

The optional part extension telescoping pull-outs from JUNO allow food to be placed in the cooking chamber and removed more conveniently.



Illustration: PZ1503
Telescoping pull-out, 3-fold for JUNO

Telescoping pull-out, 1 pair / 3 pairs full-extension pull-outs

Full-extension telescoping pull-outs for JUNO SELECTION cookers / ovens offer additional safety, as baking sheets and racks can be pulled out of the oven chamber completely.



Illustration: TR3LFV
Telescoping pull-out, 3 pairs for JUNO SELECTION

JUNO ACCESSORIES

All accessories at a glance

Cookers & ovens

	JUNO JH040A2	JUNO JH070A2	JUNO JH070B2	JUNO JH71B2	JUNO SELECTION JH084C1	JUNO JB040A2	JUNO JB070A2	JUNO JB070B2	JUNO JB071B2	JUNO JB096B3	JUNO SELECTION JB084C1	JUNO SELECTION JB121D0	JUNO SELECTION JB126D2	JUNO SELECTION JB126S2	JUNO SELECTION JBD167D2
Accessories															
Baking sheet, enamelled	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Grease pan, enamelled	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Set of steam containers (un- / perforated)															•
Telescoping pull-out, 2-fold, part ext.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Telescoping pull-out, 3-fold, part ext.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Telescoping pull-out, 1 pair, full ext.				•						•		•	•	•	•
Telescoping pull-out, 3 pairs, full ext.				•						•		•	•	•	•

Extractor hoods



	JUNO JDF604E3	JUNO SELECTION JDF606E2	JUNO JDF905E2	JUNO SELECTION JDF906E2	JUNO JDWF604E9	JUNO JDWF904E9	JUNO SELECTION JDWK607S3	JUNO SELECTION JDWK907S3
Accessories								
Active carbon filter	•	•	•	•	•	•	•	•

JUNO ENERGY EFFICIENCY CLASSES (SCALE)

The energy efficiency classes at a glance



Ovens / cookers

In accord. with COMMISSION DELEGATED REG. (EU) Nr. 65-66 / 2014

Energy efficiency class (scale):  to 

Extractor hoods



Valid from 1st Jan. 2020 in accordance with COMMISSION DELEGATED REG. (EU) No. 65 / 2014

Energy efficiency class (scale):  to 

Energy consumption in kWh/Year
Fluid dynamic efficiency class: A to G
Lighting efficiency class: A to G
Class for grease separating efficiency: A to G
Noise level in dB(A) re1pW

Dishwashers



Valid from 1st March 2021 in accordance with COMMISSION DELEGATED REG. (EU) No. 2019 / 2017

Energy efficiency class (scale):  to 

Energy consumption in kWh/100 operating cycles (in eco programme)
Number of standard place settings
Water consumption in litres/operating cycle (in eco programme)
Duration of eco programme
Noise emission in dB(A) re1pW and
Noise class: A to D

Fridges

Valid from 1st March 2021 in accordance with COMMISSION DELEGATED REG. (EU) No. 2019 / 2016

Energy efficiency class (scale):  to 

Energy consumption in kWh/year
Total useful capacity of all fridge compartments
Total useful capacity of all freezer compartments
Noise emission in dB(A) re1pW and
Noise class: A to D

MANUFACTURER'S GUARANTEE



We give a 2-year manufacturer's guarantee on every single appliance in respect of material and workmanship, in accordance with our guarantee terms.

CONTACT & CUSTOMER SERVICE

Your direct link to our customer service.

Belgique / België / Belgien

+32 (0) 2 71 62 444 Raketstraat 40, 1130 Brussel / Bruxelles

Ceská Republika

+420 (0) 261 30 22 61 Budejovická 3, Praha 4, 140 21

Deutschland

+49 (0) 1806 22 66 22* Fürther Str. 246, 90429 Nürnberg

España

+34 (0) 902 11 63 88 Avenida de Europa, 16. Parque Empresarial La Moraleja, 28108 – Alcobendas – Madrid

France

+33 (0) 809 100 100 www.electrolux.fr

Hrvatska

+385 (0) 1 63 23 338 Slavonska avenija 3, 10000 Zagreb

Italia

+39 0434 158 00 88 Corso Lino Zanussi, 24 – 33080 Porcia, PN

Luxembourg

+352 (0) 42 43 13 01 Rue de Bitbourg, 7, L-1273 Hamm

Nederland

+31 (0) 172 46 83 00 Vennootsweg 1, 2404 CG – Alphen aan den Rijn

Österreich

+43 (0) 800 212 066 Europaring F15 202, 2345 Brunn am Gebirge

Schweiz / Suisse / Svizzera

+41 (0) 848 84 81 11 Industriestrasse 10, CH-5506 Mägenwil

Slovenija

+386 (0) 1 24 25 731 Gerbiceva ulica 110, 1000 Ljubljana

Slovensko

+421 (0) 32 21 41 303 Electrolux Slovakia s.r.o., Electrolux Domáce spotrebice,
SK, Galvaniho 17/B, 821 04 Bratislava

UK

www.electrolux.co.uk

Magyarország

+361 (0) 252 1773 www.electrolux.hu

**A brand of
Electrolux Hausgeräte GmbH**

Electrolux Hausgeräte GmbH

Fürther Straße 246
90429 Nürnberg
Germany

Phone +49 (0) 1806 22 66 22

€ 0.20 per connection from German landlines.

max. € 0.60 per connection from German mobile networks

www.juno.de

**Marketed exclusively by
Schüller Möbelwerk KG**

Schüller Möbelwerk KG

Rother Straße 1
91567 Herrieden
Germany

Phone +49 (0) 9825 83-0

Fax +49 (0) 9825 83-1210

info@schueller.de

www.schueller.de